

# Reference list

---

HiTrap

MabTrap Kit



# References

Listed numerically by reference number

1. Raza, F.S., et al., *Identification of the rat adrenal zona fasciculata/reticularis specific protein, inner zone antigen (IZAg), as the putative membrane progesterone receptor*. Eur J Biochem, 2001. 268(7): p. 2141-7.
2. Lindenthal, C. and E.A. Elsinghorst, *Enterotoxigenic Escherichia coli TibA glycoprotein adheres to human intestine epithelial cells*. Infect Immun, 2001. 69(1): p. 52-7.
3. Fortin, J.F., et al., *Regulation of nuclear factor of activated T cells by phosphotyrosyl-specific phosphatase activity: a positive effect on HIV-1 long terminal repeat-driven transcription and a possible implication of SHP-1*. Blood, 2001. 97(8): p. 2390-400.
4. Bounou, S., N. Dumais, and M.J. Tremblay, *Attachment of human immunodeficiency virus-1 (HIV-1) particles bearing host-encoded B7-2 proteins leads to nuclear factor-kappa B- and nuclear factor of activated T cells-dependent activation of HIV-1 long terminal repeat transcription*. J Biol Chem, 2001. 276(9): p. 6359-69.
5. Urban, S., et al., *Scavenger receptor BI transfers major lipoprotein-associated phospholipids into the cells*. J Biol Chem, 2000. 275(43): p. 33409-15.
6. Mammarappallil, J.G. and E.A. Elsinghorst, *Epithelial cell adherence mediated by the enterotoxigenic Escherichia coli tia protein*. Infect Immun, 2000. 68(12): p. 6595-601.
7. Aybay, C. and T. Imir, *Development of a rapid, single-step procedure using protein G affinity chromatography to deplete fetal calf serum of its IgG and to isolate murine IgG1 monoclonal antibodies from supernatants of hybridoma cells*. J Immunol Methods, 2000. 233(1-2): p. 77-81.
8. Wahl, R.C., et al., *Chicken macrophage stimulating protein is a ligand of the receptor protein-tyrosine kinase Sea*. J Biol Chem, 1999. 274(37): p. 26361-8.
9. Paukovits, J.B., et al., *The hemoregulatory peptide pEEDCK may inhibit stem cell proliferation via hydrophobic binding to antisense sequence motifs in interleukin-11 and other growth factors*. Mol Pharmacol, 1999. 56(4): p. 665-74.
10. Nakao, H., et al., *Monoclonal antibody to Shiga toxin 2 which blocks receptor binding and neutralizes cytotoxicity*. Infect Immun, 1999. 67(11): p. 5717-22.
11. Meyer, D. and J.V. Torres, *Hypervariable epitope construct: a synthetic immunogen that overcomes MHC restriction of antigen presentation*. Mol Immunol, 1999. 36(10): p. 631-7.
12. Kubo, K., et al., *Identification of metallothionein isoforms on capillary zone electrophoresis by adding anti-metallothionein antibody*. J Chromatogr B Biomed Sci Appl, 1999. 736(1-2): p. 185-90.
13. Paquette, J.S., et al., *Level of ICAM-1 surface expression on virus producer cells influences both the amount of virion-bound host ICAM-1 and human immunodeficiency virus type 1 infectivity*. J Virol, 1998. 72(11): p. 9329-36.
14. Pacini, S., et al., *Tyrosine 474 of ZAP-70 is required for association with the Shc adaptor and for T-cell antigen receptor-dependent gene activation*. J Biol Chem, 1998. 273(32): p. 20487-93.
15. Kashiwazaki, Y. and S. Thammasart, *Effect of anti-immunoglobulin antibodies produced in cattle infected with Trypanosoma evansi on antigen detection ELISA*. Int J Parasitol, 1998. 28(9): p. 1353-60.
16. Jothikumar, N., D.O. Cliver, and T.W. Mariam, *Immunomagnetic capture PCR for rapid concentration and detection of hepatitis A virus from environmental samples*. Appl Environ Microbiol, 1998. 64(2): p. 504-8.
17. Hoyer, L.L., T.L. Payne, and J.E. Hecht, *Identification of Candida albicans ALS2 and ALS4 and localization of als proteins to the fungal cell surface*. J Bacteriol, 1998. 180(20): p. 5334-43.
18. Barbeau, B., et al., *Modulation of human immunodeficiency virus type 1-induced syncytium formation by the conformational state of LFA-1 determined by a new luciferase-based syncytium quantitative assay*. J Virol, 1998. 72(9): p. 7125-36.
19. Nykjaer, A., et al., *Recycling of the urokinase receptor upon internalization of the uPA:serpin complexes*. Embo J, 1997. 16(10): p. 2610-20.
20. Dente, L., et al., *Modified phage peptide libraries as a tool to study specificity of phosphorylation and recognition of tyrosine containing peptides*. J Mol Biol, 1997. 269(5): p. 694-703.

---

**Asia Pacific** Tel: +852 2811 8693 Fax: +852 2811 5251 **Australasia** Tel: +61 2 9899 0999 Fax: +61 2 9899 7511 **Austria** Tel: 01 576 0616 20 Fax: 01 576 0616 27 **Belgium** Tel: 0800 73 888 Fax: 03 272 1637 **Canada** Tel: 1 800 463 5800 Fax: 1 800 567 1008 **Central, East, South East Europe** Tel: +43 1 982 3826 Fax: +43 1 985 8327 **Denmark** Tel: 45 16 2400 Fax: 45 16 2424 **Finland & Baltics** Tel: +358 (0)9 512 3940 Fax: +358 (0)9 512 1710 **France** Tel: 0169 35 67 00 Fax: 0169 41 9677 **Germany** Tel: 0761 4903 401 Fax: 0761 4903 405 **Italy** Tel: 02 27322 1 Fax: 02 27302 212 **Japan** Tel: 81 3 5331 9336 Fax: 81 3 5331 9370 **Latin America** Tel: +55 11 3667 5700 Fax: +55 11 3667 87 99 **Middle East and Africa** Tel: +30 (1) 96 00 687 Fax: +30 (1) 96 00 693 **Netherlands** Tel: 0165 580 410 Fax: 0165 580 401 **Norway** Tel: 2318 5800 Fax: 2318 6800 **Portugal** Tel: 21 417 7035 Fax: 21 417 3184 **Russian & other C.I.S. & N.I.S.** Tel: +7 (095) 232 0250,956 1137 Fax: +7 (095) 230 6377 **South East Asia** Tel: 60 3 8024 2080 Fax: 60 3 8024 2090 **Spain** Tel: 93 594 49 50 Fax: 93 594 49 55 **Sweden** Tel: 018 612 19 00 Fax: 018 612 19 10 **Switzerland** Tel: 01 802 81 50 Fax: 01 802 81 51 **UK** Tel: 0800 616 928 Fax: 0800 616 927 **USA** Tel: +1 800 526 3593 Fax: +1 877 295 8102

HiTrap, MabTrap and Drop Design are trademarks of GE Healthcare Bio-Sciences Ltd. GE Healthcare are trademarks of General Electric Company. All goods and services are sold subject to the terms and conditions of sale of the company within the General Electric Company group that supplies them. A copy of these terms and conditions is available on request. **GE Healthcare UK Ltd**, GE Healthcare Place, Little Chalfont, Buckinghamshire HP7 9NA, England. **GE Healthcare Bio-Sciences AB**, Björkgatan 30, SE-751 84 Uppsala, Sweden. **GE Healthcare Bio-Sciences Corp.**, 800 Centennial Avenue, PO Box 1327, Piscataway NJ 08855, USA. **GE Healthcare Europe GmbH**, Munzinger Strasse 9, D-79111 Freiburg, Germany. **GE Healthcare Bio-Sciences KK**, Sanken Bldg. 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073, Japan.

