


Reference list

HiTrap

Protein G HP



References

Listed numerically by reference number

1. Zhou, C., et al., *Atp-binding cassette transporter ABC2/ ABCA2 in the rat brain: a novel mammalian lysosome-associated membrane protein and a specific marker for oligodendrocytes but not for myelin sheaths*. J Neurosci, 2001. 21(3): p. 849-57.
2. Whitbeck, J.C., et al., *Localization of the gD-binding region of the human herpes simplex virus receptor, HveA*. J Virol, 2001. 75(1): p. 171-80.
3. Safa, O., et al., *Lipid oxidation enhances the function of activated protein C*. J Biol Chem, 2001. 276(3): p. 1829-36.
4. Mitoma, M., et al., *Inhibitory Effect of Bovine Milk Lactoferrin on the Interaction between a Streptococcal Surface Protein Antigen and Human Salivary Agglutinin*. J Biol Chem, 2001. 276(21): p. 18060-5.
5. Earl, P.L., et al., *Immunogenicity and protective efficacy of oligomeric human immunodeficiency virus type 1 gp140*. J Virol, 2001. 75(2): p. 645-53.
6. Yokota, S., et al., *Comparison of serum antibody titers to Helicobacter pylori lipopolysaccharides, CagA, VacA and partially purified cellular extracts in a Japanese population*. FEMS Microbiol Lett, 2000. 185(2): p. 193-8.
7. Watarai, H., et al., *Posttranslational modification of the glycosylation inhibiting factor (GIF) gene product generates bioactive GIF*. Proc Natl Acad Sci U S A, 2000. 97(24): p. 13251-6.
8. van der Linden, R., et al., *Induction of immune responses and molecular cloning of the heavy chain antibody repertoire of Lama glama*. J Immunol Methods, 2000. 240(1-2): p. 185-95.
9. Van den Nieuwenhof, I.M., et al., *Recombinant glycodelin carrying the same type of glycan structures as contraceptive glycodelin-A can be produced in human kidney 293 cells but not in chinese hamster ovary cells*. Eur J Biochem, 2000. 267(15): p. 4753-62.
10. Tuomola, M., et al., *Production and characterisation of monoclonal antibodies against a very small hapten, 3-methylindole*. J Immunol Methods, 2000. 240(1-2): p. 111-24.
11. Tanaka, M., et al., *Cloning of novel soluble gp130 and detection of its neutralizing autoantibodies in rheumatoid arthritis*. J Clin Invest, 2000. 106(1): p. 137-44.
12. Sha, Z. and R.W. Compans, *Induction of CD4(+) T-cell-independent immunoglobulin responses by inactivated influenza virus*. J Virol, 2000. 74(11): p. 4999-5005.
13. Schulz-Utermoehl, T., et al., *Structure-Function Analysis of Human CYP3A4 Using a Specific Proinhibitory Antipeptide Antibody*. Drug Metab Dispos, 2000. 28(7): p. 718-725.
14. Riddell, M.A., F. Li, and D.A. Anderson, *Identification of immunodominant and conformational epitopes in the capsid protein of hepatitis E virus by using monoclonal antibodies*. J Virol, 2000. 74(17): p. 8011-7.
15. Rader, C., et al., *The rabbit antibody repertoire as a novel source for the generation of therapeutic human antibodies*. J Biol Chem, 2000. 275(18): p. 13668-76.
16. Petersen, S.V., et al., *Control of the classical and the MBL pathway of complement activation*. Mol Immunol, 2000. 37(14): p. 803-11.
17. Mitta, G., et al., *Involvement of mytilins in mussel antimicrobial defense*. J Biol Chem, 2000. 275(17): p. 12954-62.
18. Maliartchouk, S., et al., *Genuine monovalent ligands of TrkA nerve growth factor receptors reveal a novel pharmacological mechanism of action*. J Biol Chem, 2000. 275(14): p. 9946-56.
19. Krummenacher, C., et al., *Localization of a binding site for herpes simplex virus glycoprotein D on herpesvirus entry mediator C by using antireceptor monoclonal antibodies*. J Virol, 2000. 74(23): p. 10863-72.
20. Jung, S.M. and M. Moroi, *Signal-transducing mechanisms involved in activation of the platelet collagen receptor integrin alpha(2)beta(1)*. J Biol Chem, 2000. 275(11): p. 8016-26.
21. Gobom, J., et al., *Detection and quantification of neurotensin in human brain tissue by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry*. Anal Chem, 2000. 72(14): p. 3320-6.
22. Brown, M.A., et al., *Identification and Purification of Vitamin K-dependent Proteins and Peptides with Monoclonal Antibodies Specific for gamma -Carboxyglutamyl (Gla) Residues*. J. Biol. Chem., 2000. 275(26): p. 19795-805.
23. Beecher, D.J., et al., *Evidence for contribution of tripartite hemolysin BL, phosphatidylcholine-preferring phospholipase C, and collagenase to virulence of Bacillus cereus endophthalmitis*. Infect Immun, 2000. 68(9): p. 5269-76.


24. Aybay, C. and T. Imir, *Development of a rapid, single-step procedure using protein G affinity chromatography to deplete fetal calf serum of its IgG and to isolate murine IgG1 monoclonal antibodies from supernatants of hybridoma cells.* J Immunol Methods, 2000. 233(1-2): p. 77-81.
25. Aurrekoetxea-Hernandez, K. and E. Buetti, *Synergistic action of GA-binding protein and glucocorticoid receptor in transcription from the mouse mammary tumor virus promoter.* J Virol, 2000. 74(11): p. 4988-98.
26. Al-Soud, W.A., L.J. Jonsson, and P. Radstrom, *Identification and characterization of immunoglobulin G in blood as a major inhibitor of diagnostic PCR.* J Clin Microbiol, 2000. 38(1): p. 345-50.
27. Wang, H., et al., *HMG-1 as a Late Mediator of Endotoxin Lethality in Mice.* Science, 1999. 285(5425): p. 248-56.
28. Wahl, R.C., et al., *Chicken macrophage stimulating protein is a ligand of the receptor protein-tyrosine kinase Sea.* J Biol Chem, 1999. 274(37): p. 26361-8.
29. Valle, M., et al., *Domain architecture of the bacteriophage phi29 connector protein.* J Mol Biol, 1999. 288(5): p. 899-909.
30. Tashiro, K., et al., *An IKLLI-containing peptide derived from the laminin alpha1 chain mediating heparin-binding, cell adhesion, neurite outgrowth and proliferation, represents a binding site for integrin alpha3beta1 and heparan sulphate proteoglycan.* Biochem J, 1999. 340(Pt 1): p. 119-26.
31. Takahashi, N., et al., *Efficient screening for catalytic antibodies using a short transition-state analog and detailed characterization of selected antibodies.* Eur J Biochem, 1999. 261(1): p. 108-14.
32. Sugawara, S., et al., *Lipoteichoic acid acts as an antagonist and an agonist of lipopolysaccharide on human gingival fibroblasts and monocytes in a CD14-dependent manner.* Infect Immun, 1999. 67(4): p. 1623-32.
33. Smith, P.R., et al., *Anomalous diffusion of major histocompatibility complex class I molecules on HeLa cells determined by single particle tracking.* Biophys J, 1999. 76(6): p. 3331-44.
34. Roy, F., et al., *The negative effect of repeated equine chorionic gonadotropin treatment on subsequent fertility in Alpine goats is due to a humoral immune response involving the major histocompatibility complex.* Biol Reprod, 1999. 60(4): p. 805-13.
35. Roy, F., et al., *Humoral immune response to equine chorionic gonadotropin in ewes: association with major histocompatibility complex and interference with subsequent fertility.* Biol Reprod, 1999. 61(1): p. 209-18.
36. Ou, J.P., S.T. Chan, and W.S. Yeung, *Separation of bovine serum albumin and its monoclonal antibody from their immunocomplexes by sodium dodecyl sulfate-capillary gel electrophoresis and its application in capillary electrophoresis-based immunoassay.* J Chromatogr B Biomed Sci Appl, 1999. 731(2): p. 389-94.
37. Oho, T., et al., *Bovine milk antibodies against cell surface protein antigen PAc-glucosyltransferase fusion protein suppress cell adhesion and alter glucan synthesis of Streptococcus mutans.* J Nutr, 1999. 129(10): p. 1836-41.
38. Nakamura, T., et al., *Specific interactions between Porphyromonas gingivalis fimbriae and human extracellular matrix proteins.* FEMS Microbiol Lett, 1999. 175(2): p. 267-72.
39. Morita, A., et al., *Development of a sensitive enzyme-linked immunosorbent assay for eotaxin and measurement of its levels in human blood.* J Immunol Methods, 1999. 226(1-2): p. 159-67.
40. Matsuka, Y.V., et al., *Fibrinogen cleavage by the Streptococcus pyogenes extracellular cysteine protease and generation of antibodies that inhibit enzyme proteolytic activity.* Infect Immun, 1999. 67(9): p. 4326-33.
41. Lavagna, C., et al., *Purification of a new intestinal anti-proliferative factor from normal human small intestine.* Eur J Biochem, 1999. 259(3): p. 821-8.
42. Hanasaki, K., et al., *Purified Group X Secretory Phospholipase A2 Induced Prominent Release of Arachidonic Acid from Human Myeloid Leukemia Cells.* J. Biol. Chem., 1999. 274(48): p. 34203-13.
43. Goodyear, C.S., et al., *Monoclonal antibodies raised against Guillain-Barre syndrome-associated Campylobacter jejuni lipopolysaccharides react with neuronal gangliosides and paralyze muscle-nerve preparations.* J Clin Invest, 1999. 104(6): p. 697-708.
44. Gigler, A., et al., *Generation of neutralizing human monoclonal antibodies against parvovirus B19 proteins.* J Virol, 1999. 73(3): p. 1974-9.
45. Dunbar, A.J., et al., *Identification of betacellulin as a major peptide growth factor in milk: purification, characterization and molecular cloning of bovine betacellulin.* Biochem J, 1999. 344(Pt 3):p. 713-21.
46. de Lumley-Woodyear, T., et al., *Rapid amperometric verification of PCR amplification of DNA.* Anal Chem, 1999. 71(3): p. 535-8.
47. Burgess, S.C. and T.F. Davison, *Counting absolute numbers of specific leukocyte subpopulations in avian whole blood using a single-step flow cytometric technique: comparison of two inbred lines of chickens.* J Immunol Methods, 1999. 227(1-2): p. 169-76.

48. Asturias, J.A., et al., *Quantification of profilins by a monoclonal antibody-based sandwich ELISA*. J Immunol Methods, 1999. 229(1-2): p. 61-71.
49. Amano, A., et al., *Molecular interactions of Porphyromonas gingivalis fimbriae with host proteins: kinetic analyses based on surface plasmon resonance*. Infect Immun, 1999. 67(5): p. 2399-405.
50. Waterman, M.J., et al., *ATM-dependent activation of p53 involves dephosphorylation and association with 14-3-3 proteins*. Nat Genet, 1998. 19(2): p. 175-8.
51. Vemulapalli, R., et al., *Cloning and sequencing of yajC and secD homologs of Brucella abortus and demonstration of immune responses to YajC in mice vaccinated with B. abortus RB51*. Infect Immun, 1998. 66(12): p. 5684-91.
52. Okamoto, T., et al., *Expression and purification of the extracellular ligand binding region of metabotropic glutamate receptor subtype 1*. J Biol Chem, 1998. 273(21): p. 13089-96.
53. Maeda, N. and M. Noda, *Involvement of receptor-like protein tyrosine phosphatase zeta/RPTPbeta and its ligand pleiotrophin/heparin-binding growth-associated molecule (HB-GAM) in neuronal migration*. J Cell Biol, 1998. 142(1): p. 203-16.
54. Lauwereys, M., et al., *Potent enzyme inhibitors derived from dromedary heavy-chain antibodies*. Embo J, 1998. 17(13): p. 3512-20.
55. Garrad, R.C., et al., *Structural basis of agonist-induced desensitization and sequestration of the P2Y2 nucleotide receptor. Consequences of truncation of the C terminus*. J Biol Chem, 1998. 273(45): p. 29437-44.
56. Ding, L., et al., *Biochemical characterization of selenium-containing catalytic antibody as a cytosolic glutathione peroxidase mimic*. Biochem J, 1998. 332(1): p. 251-5.
57. Debiec, H., E.I. Christensen, and P.M. Ronco, *The cell adhesion molecule L1 is developmentally regulated in the renal epithelium and is involved in kidney branching morphogenesis*. J Cell Biol, 1998. 143(7): p. 2067-79.
58. Christoph, A., G. v Heesberg, and B. Kemper, *Epitope mapping of T4 endonuclease VII with monoclonal antibodies reveals importance of both ends of the protein for target binding*. J Mol Biol, 1998. 277(3): p. 529-40.
59. 59.Bemark, M., et al., *Purification and characterization of a protein binding to the SP6 kappa promoter. A potential role for CARG-box binding factor-A in kappa transcription*. J Biol Chem, 1998. 273(30): p. 18881-90.
60. Stewart, P.L., et al., *Cryo-EM visualization of an exposed RGD epitope on adenovirus that escapes antibody neutralization*. Embo J, 1997. 16(6): p. 1189-98.
61. Okano, T., et al., *Immunocytochemical identification of pinopsin in pineal glands of chicken and pigeon*. Brain Res Mol Brain Res, 1997. 50(1-2): p. 190-6.
62. Holmskov, U., et al., *Isolation and characterization of a new member of the scavenger receptor superfamily, glycoprotein-340 (gp-340), as a lung surfactant protein-D binding molecule*. J Biol Chem, 1997. 272(21): p. 13743-9.
63. Maeda, N., et al., *6B4 proteoglycan/phosphacan, an extracellular variant of receptor-like protein-tyrosine phosphatase zeta/RPTPbeta, binds pleiotrophin/heparin-binding growth-associated molecule (HB-GAM)*. J Biol Chem, 1996. 271(35): p. 21446-52.
64. Endres, M.J., et al., *CD4-independent infection by HIV-2 is mediated by fusin/CXCR4*. Cell, 1996. 87(4): p. 745-56.
65. Brosch, G., et al., *Purification and characterization of a high molecular weight histone deacetylase complex (HD2) of maize embryos*. Biochemistry, 1996. 35(49): p. 15907-14.
66. Bao, M., et al., *Bovine UDP-N-acetylglucosamine: lysosomal-enzyme N-acetylglucosamine-1-phosphotransferase. I. Purification and subunit structure*. J Biol Chem, 1996. 271(49): p. 31437-45.

Asia Pacific Tel: +852 2811 8693 Fax: +852 2811 5251 Australasia Tel: +61 2 9899 0999 Fax: +61 2 9899 7511 Austria Tel: 01 576 0616 20 Fax: 01 576 0616 27 Belgium Tel: 0800 73 888 Fax: 03 272 1637 Canada Tel: 1 800 463 5800 Fax: 1 800 567 1008 Central, East, South East Europe Tel: +43 1 982 3826 Fax: +43 1 985 8327 Denmark Tel: 45 16 2400 Fax: 45 16 2424 Finland & Baltics Tel: +358 (0)9 512 3940 Fax: +358 (0)9 512 1710 France Tel: 0169 35 67 00 Fax: 0169 41 9677 Germany Tel: 0761 4903 401 Fax: 0761 4903 405 Italy Tel: 02 27322 1 Fax: 02 27302 212 Japan Tel: 81 3 5331 9336 Fax: 81 3 5331 9370 Latin America Tel: +55 11 3667 5700 Fax: +55 11 3667 87 99 Middle East and Africa Tel: +30 (1) 96 00 687 Fax: +30 (1) 96 00 693 Netherlands Tel: 0165 580 410 Fax: 0165 580 401 Norway Tel: 2318 5800 Fax: 2318 6800 Portugal Tel: 21 417 7035 Fax: 21 417 3184 Russian & other C.I.S. & N.I.S. Tel: +7 (095) 232 0250,956 1137 Fax: +7 (095) 230 6377 South East Asia Tel: 60 3 8024 2080 Fax: 60 3 8024 2090 Spain Tel: 93 594 49 50 Fax: 93 594 49 55 Sweden Tel: 018 612 19 00 Fax: 018 612 19 10 Switzerland Tel: 01 802 81 50 Fax: 01 802 81 51 UK Tel: 0800 616 928 Fax: 0800 616 927 USA Tel: +1 800 526 3593 Fax: +1 877 295 8102

HiTrap and Drop Design are trademarks of Amersham Biosciences Limited. Amersham and Amersham Biosciences are trademarks of Amersham plc. All goods and services are sold subject to the terms and conditions of sale of the company within the Amersham Biosciences group that supplies them. A copy of these terms and conditions is available on request. Amersham Biosciences UK Limited, Amersham Place, Little Chalfont, Buckinghamshire HP7 9NA, England. Amersham Biosciences AB, Björkgatan 30, SE-751 84 Uppsala, Sweden. Amersham Biosciences Corp., 800 Centennial Avenue, PO Box 1327, Piscataway NJ 08855, USA. Amersham Biosciences Europe GmbH, Munzinger Strasse 9, D-79111 Freiburg, Germany. Amersham Biosciences K.K., Sanken Bldg. 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073, Japan.

© Amersham Biosciences AB 2002 – All rights reserved.



Amersham
Biosciences