


# Reference list

---

HiTrap

Protein A HP



# References

Listed numerically by reference number

1. Xu, S.Z. and D.J. Beech, *TrpC1 is a membrane-spanning subunit of store-operated Ca(2+) channels in native vascular smooth muscle cells*. *Circ Res*, 2001. 88(1): p. 84-7.
2. Underwood, P.A., et al., *Specific affinity depletion of cell adhesion molecules and growth factors from serum*. *J Immunol Methods*, 2001. 247(1-2): p. 217-24.
3. Samuelsson, A., T.L. Towers, and J.V. Ravetch, *Anti-inflammatory Activity of IVIG Mediated Through the Inhibitory Fc Receptor*. *Science*, 2001. 291(5503): p. 484-486.
4. Pitcovsky, T.A., et al., *Epitope mapping of trans-sialidase from Trypanosoma cruzi reveals the presence of several cross-reactive determinants*. *Infect Immun*, 2001. 69(3): p. 1869-75.
5. Mizon, C., et al., *The chondroitin sulfate chain of bikunin-containing proteins in the inter-alpha-inhibitor family increases in size in inflammatory diseases*. *Eur J Biochem*, 2001. 268(9): p. 2717-24.
6. Zarivi, O., et al., *Biochemical, electrophoretic and immunohistochemical aspects of malate dehydrogenase in truffles (Ascomycotina)*. *FEMS Microbiol Lett*, 2000. 185(2): p. 213-9.
7. van der Linden, R., et al., *Induction of immune responses and molecular cloning of the heavy chain antibody repertoire of Lama glama*. *J Immunol Methods*, 2000. 240(1-2): p. 185-95.
8. Urban, S., et al., *Receptor recognition by a hepatitis B virus reveals a novel mode of high affinity virus-receptor interaction*. *Embo J*, 2000. 19(6): p. 1217-27.
9. Schlondorff, J., J.D. Becherer, and C.P. Blobel, *Intracellular maturation and localization of the tumour necrosis factor alpha convertase (TACE)*. *Biochem J*, 2000. 347 Pt 1(Pt 2): p. 131-8.
10. Scheiffele, P., et al., *Neuroigin expressed in nonneuronal cells triggers presynaptic development in contacting axons*. *Cell*, 2000. 101(6): p. 657-69.
11. Ohki, G., et al., *A Calcium-activated Cation Current by an Alternatively Spliced Form of Trp3 in the Heart*. *J. Biol. Chem.*, 2000. 275(50): p. 39055-67.
12. Ohishi, K., et al., *Monocytes express high amounts of Notch and undergo cytokine specific apoptosis following interaction with the Notch ligand, Delta-1*. *Blood*, 2000. 95(9): p. 2847-54.
13. Nichols, A.F., et al., *Human damage-specific DNA-binding protein p48. Characterization of XPE mutations and regulation following UV irradiation*. *J Biol Chem*, 2000. 275(28): p. 21422-8.
14. Kotti, T.J., et al., *In mouse alpha -methylacyl-CoA racemase, the same gene product is simultaneously located in mitochondria and peroxisomes*. *J Biol Chem*, 2000. 275(27): p. 20887-95.
15. Kobayashi, H., et al., *Identity of urinary trypsin inhibitor-binding protein to link protein*. *J Biol Chem*, 2000. 275(28): p. 21185-91.
16. Karlstrom, A., et al., *Using antibody catalysis to study the outcome of multiple evolutionary trials of a chemical task*. *Proc Natl Acad Sci U S A*, 2000. 97(8): p. 3878-83.
17. Jeong, S.J., et al., *A novel factor isolated from Actinobacillus actinomycetemcomitans stimulates mouse B cells and human peripheral blood mononuclear cells*. *Infect Immun*, 2000. 68(9): p. 5132-8.
18. Hsu, C.C., et al., *Association of L-glutamic acid decarboxylase to the 70-kDa heat shock protein as a potential anchoring mechanism to synaptic vesicles*. *J Biol Chem*, 2000. 275(27): p. 20822-8.
19. Holler, N., et al., *Development of improved soluble inhibitors of FasL and CD40L based on oligomerized receptors*. *J Immunol Methods*, 2000. 237(1-2): p. 159-73.
20. Hanakahi, L.A. and N. Maizels, *Transcriptional activation by LR1 at the Emu enhancer and switch region sites*. *Nucleic Acids Res*, 2000. 28(14): p. 2651-7.
21. Goldberg, M., et al., *mu-Protocadherin, a novel developmentally regulated protocadherin with mucin-like domains*. *J Biol Chem*, 2000. 275(32): p. 24622-9.
22. Gantt, S., et al., *Antibodies against thrombospondin-related anonymous protein do not inhibit Plasmodium sporozoite infectivity in vivo*. *Infect Immun*, 2000. 68(6): p. 3667-73.
23. Desrosiers, R.R., et al., *Modulation of Rho and cytoskeletal protein attachment to membranes by a prenylcysteine analog*. *J Biol Chem*, 2000. 275(20): p. 14949-57.
24. Cunningham, S.A., et al., *A novel protein with homology to the junctional adhesion molecule. Characterization of leukocyte interactions*. *J Biol Chem*, 2000. 275(44): p. 34750-6.


25. Che, F.S., et al., *Flagellin from an incompatible strain of Pseudomonas avenae induces a resistance response in cultured rice cells.* J Biol Chem, 2000. 275(41): p. 32347-56.
26. Verhamme, I., et al., *Accelerated conversion of human plasminogen activator inhibitor-1 to its latent form by antibody binding.* J Biol Chem, 1999. 274(25): p. 17511-7.
27. Umana, P., et al., *Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular cytotoxic activity.* Nat Biotechnol, 1999. 17(2): p. 176-80.
28. Ueda, Y., et al., *Lower plasma levels and accelerated clearance of high density lipoprotein (HDL) and non-HDL cholesterol in scavenger receptor class B type I transgenic mice.* J Biol Chem, 1999. 274(11): p. 7165-71.
29. Thompson, J.E., et al., *A fully human antibody neutralising biologically active human TGFbeta2 for use in therapy.* J Immunol Methods, 1999. 227(1-2): p. 17-29.
30. Terasawa, F., et al., *Hypofibrinogenemia associated with a heterozygous missense mutation gamma153Cys to arg (Matsumoto IV): in vitro expression demonstrates defective secretion of the variant fibrinogen.* Blood, 1999. 94(12): p. 4122-31.
31. Sambri, V., et al., *Specific antibodies reactive with the 22-kilodalton major outer surface protein of Borrelia anserina Ni-NL protect chicks from infection.* Infect Immun, 1999. 67(5): p. 2633-7.
32. Qi, H., et al., *Processing of the Notch Ligand Delta by the Metalloprotease Kuzbanian.* Science, 1999. 283(5398): p. 91-6.
33. Mukasa, R., et al., *Development of a cell-free binding assay for rat ICAM-1/LFA-1 interactions using a novel anti-rat LFA-1 monoclonal antibody and comparison with a cell-based assay.* J Immunol Methods, 1999. 228(1-2): p. 69-79.
34. Iwaki, M., et al., *Suppression of platelet aggregation by Bordetella pertussis adenylate cyclase toxin.* Infect Immun, 1999. 67(6): p. 2763-8.
35. Ishikawa, T., et al., *Monoclonal antibodies against the minimal DNA-binding domain in the carboxyl-terminal region of human immunodeficiency virus type 1 integrase.* J Virol, 1999. 73(5): p. 4475-80.
36. Hornig, C., et al., *Detection and quantification of complexed and free soluble human vascular endothelial growth factor receptor-1 (sVEGFR-1) by ELISA.* J Immunol Methods, 1999. 226(1-2): p. 169-77.
37. Heinzel, F.P. and R.A. Maier, *Interleukin-4-independent acceleration of cutaneous leishmaniasis in susceptible BALB/c mice following treatment with anti-CTLA4 antibody.* Infect Immun, 1999. 67(12): p. 6454-60.
38. De Angelis, E., et al., *Pathological missense mutations of neural cell adhesion molecule L1 affect homophilic and heterophilic binding activities.* Embo J, 1999. 18(17): p. 4744-53.
39. Cai, Y.J., et al., *Production and distribution of endoglucanase, cellobiohydrolase, and beta-glucosidase components of the cellulolytic system of volvariella volvacea, the edible straw mushroom.* Appl Environ Microbiol, 1999. 65(2): p. 553-9.
40. Verch, T., V. Yusibov, and H. Koprowski, *Expression and assembly of a full-length monoclonal antibody in plants using a plant virus vector.* J Immunol Methods, 1998. 220(1-2): p. 69-75.
41. Ohsako, S., et al., *Characterization of domains in mice of calnexin-t, a putative molecular chaperone required in sperm fertility, with use of glutathione S-transferase-fusion proteins.* Biol Reprod, 1998. 59(5): p. 1214-23.
42. Miyoshi, S., et al., *Characterization of the hemorrhagic reaction caused by Vibrio vulnificus metalloprotease, a member of the thermolysin family.* Infect Immun, 1998. 66(10): p. 4851-5.
43. Kallstrom, H., et al., *Cell Signaling by the Type IV Pili of Pathogenic Neisseria.* J. Biol. Chem., 1998. 273(34): p. 2177-82.
44. Fitzpatrick, V.D., et al., *Formation of a high affinity heregulin binding site using the soluble extracellular domains of ErbB2 with ErbB3 or ErbB4.* FEBS Lett, 1998. 431(1): p. 102-6.
45. Brogden, K.A., M. Ackermann, and K.M. Huttner, *Detection of anionic antimicrobial peptides in ovine bronchoalveolar lavage fluid and respiratory epithelium.* Infect Immun, 1998. 66(12): p. 5948-54.
46. Bergmann, D.J., et al., *Cytochrome P460 genes from the methanotroph Methylococcus capsulatus bath.* J Bacteriol, 1998. 180(24): p. 6440-5.
47. Bals, R., et al., *Human beta-defensin 2 is a salt-sensitive peptide antibiotic expressed in human lung.* J Clin Invest, 1998. 102(5): p. 874-80.
48. Zhang, D., et al., *Neuregulin-3 (NRG3): a novel neural tissue-enriched protein that binds and activates ErbB4.* Proc Natl Acad Sci U S A, 1997. 94(18): p. 9562-7.
49. Toyoda, Y., et al., *Glucokinase is located in secretory granules of pancreatic D-cells.* FEBS Lett, 1997. 415(3): p. 281-4.
50. Mita, M. and M.P. Walsh, *alpha1-Adrenoceptor-mediated phosphorylation of myosin in rat-tail arterial smooth muscle.* Biochem J, 1997. 327(Pt 3): p. 669-74.

51. Kleman-Leyer, K., D.W. Armbruster, and C.J. Daniels, *Properties of H. volcanii tRNA intron endonuclease reveal a relationship between the archaeal and eucaryal tRNA intron processing systems*. Cell, 1997. 89(6): p. 839-47.
52. Jin, Y., et al., *Cell cycle-dependent colocalization of BARD1 and BRCA1 proteins in discrete nuclear domains*. Proc Natl Acad Sci U S A, 1997. 94(22): p. 12075-80.
53. Karow, J., et al., *Mediation of interleukin-11-dependent biological responses by a soluble form of the interleukin-11 receptor*. Biochem J, 1996. 318(Pt 2): p. 489-95.
54. Garlatti, M., et al., *Contribution of a nuclear factor 1 binding site to the glucocorticoid regulation of the cytosolic aspartate aminotransferase gene promoter*. J Biol Chem, 1996. 271(51): p. 32629-34.

Asia Pacific Tel: +852 2811 8693 Fax: +852 2811 5251 Australasia Tel: +61 2 9899 0999 Fax: +61 2 9899 7511 Austria Tel: 01 576 0616 20 Fax: 01 576 0616 27 Belgium Tel: 0800 73 888 Fax: 03 272 1637 Canada Tel: 1 800 463 5800 Fax: 1 800 567 1008 Central, East, South East Europe Tel: +43 1 982 3826 Fax: +43 1 985 8327 Denmark Tel: 45 16 2400 Fax: 45 16 2424 Finland & Baltics Tel: +358 (0)9 512 3940 Fax: +358 (0)9 512 1710 France Tel: 0169 35 67 00 Fax: 0169 41 9677 Germany Tel: 0761 4903 401 Fax: 0761 4903 405 Italy Tel: 02 27322 1 Fax: 02 27302 212 Japan Tel: 81 3 5331 9336 Fax: 81 3 5331 9370 Latin America Tel: +55 11 3667 5700 Fax: +55 11 3667 87 99 Middle East and Africa Tel: +30 (1) 96 00 687 Fax: +30 (1) 96 00 693 Netherlands Tel: 0165 580 410 Fax: 0165 580 401 Norway Tel: 2318 5800 Fax: 2318 6800 Portugal Tel: 21 417 7035 Fax: 21 417 3184 Russian & other C.I.S. & N.I.S. Tel: +7 (095) 232 0250,956 1137 Fax: +7 (095) 230 6377 South East Asia Tel: 60 3 8024 2080 Fax: 60 3 8024 2090 Spain Tel: 93 594 49 50 Fax: 93 594 49 55 Sweden Tel: 018 612 19 00 Fax: 018 612 19 10 Switzerland Tel: 01 802 81 50 Fax: 01 802 81 51 UK Tel: 0800 616 928 Fax: 0800 616 927 USA Tel: +1 800 526 3593 Fax: +1 877 295 8102

HiTrap and Drop Design are trademarks of Amersham Biosciences Limited. Amersham and Amersham Biosciences are trademarks of Amersham plc. All goods and services are sold subject to the terms and conditions of sale of the company within the Amersham Biosciences group that supplies them. A copy of these terms and conditions is available on request. Amersham Biosciences UK Limited, Amersham Place, Little Chalfont, Buckinghamshire HP7 9NA, England. Amersham Biosciences AB, Björkgatan 30, SE-751 84 Uppsala, Sweden. Amersham Biosciences Corp., 800 Centennial Avenue, PO Box 1327, Piscataway NJ 08855, USA. Amersham Biosciences Europe GmbH, Munzinger Strasse 9, D-79111 Freiburg, Germany. Amersham Biosciences K.K., Sanken Bldg. 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073, Japan.

© Amersham Biosciences AB 2002 – All rights reserved.



Amersham  
Biosciences