


# Reference list

---

 HiPrep

Sephacryl S-100 HR



# References

Listed numerically by reference number


1. Yamaguchi, S., D.J. Jeenes, and D.B. Archer, *Protein-glutaminase from Chryseobacterium proteolyticum, an enzyme that deamidates glutaminyl residues in proteins Purification, characterization and gene cloning*. Eur J Biochem, 2001. 268(5): p. 1410-21.
2. Guo, C., et al., *A novel vascular smooth muscle chymase is upregulated in hypertensive rats*. J Clin Invest, 2001. 107(6): p. 703-15.
3. Gebruers, K., et al., *Triticum aestivum L. endoxylanase inhibitor (TAXI) consists of two inhibitors, TAXI I and TAXI II, with different specificities*. Biochem J, 2001. 353(2): p. 239-44.
4. Bravo, J., et al., *The leukemia-associated AML1 (Runx1)-CBF beta complex functions as a DNA-induced molecular clamp*. Nat Struct Biol, 2001. 8(4): p. 371-8.
5. Mylin, L.M., et al., *Quantitation of CD8(+) T-lymphocyte responses to multiple epitopes from simian virus 40 (SV40) large T antigen in C57BL/6 mice immunized with SV40, SV40 T-antigen-transformed cells, or vaccinia virus recombinants expressing full-length T antigen or epitope minigenes*. J Virol, 2000. 74(15): p. 6922-34.
6. Mills, M., K.C. Meysick, and A.D. O'Brien, *Cytotoxic necrotizing factor type 1 of uropathogenic Escherichia coli kills cultured human uroepithelial 5637 cells by an apoptotic mechanism*. Infect Immun, 2000. 68(10): p. 5869-80.
7. Liang, H., et al., *A recombinant baculovirus-expressed Plasmodium falciparum receptor-binding domain of erythrocyte binding protein EBA-175 biologically mimics native protein*. Infect Immun, 2000. 68(6): p. 3564-8.
8. Keyhani, N.O., O. Boudker, and S. Roseman, *Isolation and characterization of IIACb, a soluble protein of the enzyme II complex required for the transport/ phosphorylation of N, N'-diacetylchitobiose in Escherichia coli*. J Biol Chem, 2000. 275(42): p. 33091-101.
9. Thiru, A., et al., *RNA polymerase subunit H features a beta-ribbon motif within a novel fold that is present in archaea and eukaryotes*. J Mol Biol, 1999. 287(4): p. 753-60.
10. Thies, F.L., et al., *Cloning and expression of the dnaK gene of Campylobacter jejuni and antigenicity of heat shock protein 70*. Infect Immun, 1999. 67(3): p. 1194-200.
11. Kanemori, M., H. Yanagi, and T. Yura, *Marked instability of the sigma(32) heat shock transcription factor at high temperature. Implications for heat shock regulation*. J Biol Chem, 1999. 274(31): p. 22002-7.
12. Jager, M. and A. Pluckthun, *Folding and assembly of an antibody Fv fragment, a heterodimer stabilized by antigen*. J Mol Biol, 1999. 285(5): p. 2005-19.
13. Geerloff, A., A. Lewendon, and W.V. Shaw, *Purification and characterization of phosphopantetheine adenylyltransferase from Escherichia coli*. J Biol Chem, 1999. 274(38): p. 27105-11.
14. Gao, C., et al., *Making artificial antibodies: a format for phage display of combinatorial heterodimeric arrays*. Proc Natl Acad Sci U S A, 1999. 96(11): p. 6025-30.
15. Cadieux, E. and J. Powlowski, *Characterization of active and inactive forms of the phenol hydroxylase stimulatory protein DmpM*. Biochemistry, 1999. 38(33): p. 10714-22.
16. Yasuda, T., et al., *Inhibition of Escherichia coli RecA coprotease activities by DinI*. Embo J, 1998. 17(11): p. 3207-16.
17. Solomon, V., S.H. Lecker, and A.L. Goldberg, *The N-end rule pathway catalyzes a major fraction of the protein degradation in skeletal muscle*. J Biol Chem, 1998. 273(39): p. 25216-22.
18. Leydier, C., et al., *Evidence for kinetic intermediate states during the refolding of GdnHCl-denatured MM-creatine kinase. Characterization of a trapped monomeric species*. Biochemistry, 1998. 37(50): p. 17579-89.
19. Larkin, R.M. and T.J. Guilfoyle, *Two small subunits in Arabidopsis RNA polymerase II are related to yeast RPB4 and RPB7 and interact with one another*. J Biol Chem, 1998. 273(10): p. 5631-7.
20. Huang, X., et al., *NMR identification of epitopes of Lyme disease antigen OspA to monoclonal antibodies*. J Mol Biol, 1998. 281(1): p. 61-7.
21. Haro, L.S., et al., *Divalent metal cation chelators enhance chromatographic separation of structurally similar macromolecules: separation of human growth hormone isoforms*. J Chromatogr B Biomed Sci Appl, 1998. 720(1-2): p. 39-47.
22. Coux, O. and A.L. Goldberg, *Enzymes catalyzing ubiquitination and proteolytic processing of the p105 precursor of nuclear factor kappaB1*. J Biol Chem, 1998. 273(15): p. 8820-8.
23. Bradshaw, J.M., et al., *Probing the "two-pronged plug two-holed socket" model for the mechanism of binding of the Src SH2 domain to phosphotyrosyl peptides: a thermodynamic study*. Biochemistry, 1998. 37(25): p. 9083-90.

24. Small, F.J. and S.A. Ensign, *Alkene monooxygenase from Xanthobacter strain Py2. Purification and characterization of a four-component system central to the bacterial metabolism of aliphatic alkenes*. J Biol Chem, 1997. 272(40): p. 24913-20.
25. Olshevskaya, E.V., et al., *Calcium binding, but not a calcium-myristoyl switch, controls the ability of guanylyl cyclase-activating protein GCAP-2 to regulate photoreceptor guanylyl cyclase*. J Biol Chem, 1997. 272(22): p. 14327-33.
26. Sheptovitsky, Y.G. and G.W. Brudvig, *Isolation and characterization of spinach photosystem II membrane-associated catalase and polyphenol oxidase*. Biochemistry, 1996. 35(50): p. 16255-63.

Asia Pacific Tel: +852 2811 8693 Fax: +852 2811 5251 Australasia Tel: +61 2 9899 0999 Fax: +61 2 9899 7511 Austria Tel: 01 576 0616 20 Fax: 01 576 0616 27 Belgium Tel: 0800 73 888 Fax: 03 272 1637 Canada Tel: 1 800 463 5800 Fax: 1 800 567 1008 Central, East, South East Europe Tel: +43 1 982 3826 Fax: +43 1 985 8327 Denmark Tel: 45 16 2400 Fax: 45 16 2424 Finland & Baltics Tel: +358 (0)9 512 3940 Fax: +358 (0)9 512 1710 France Tel: 0169 35 67 00 Fax: 0169 41 9677 Germany Tel: 0761 4903 401 Fax: 0761 4903 405 Italy Tel: 02 27322 1 Fax: 02 27302 212 Japan Tel: 81 3 5331 9336 Fax: 81 3 5331 9370 Latin America Tel: +55 11 3667 5700 Fax: +55 11 3667 87 99 Middle East and Africa Tel: +30 (1) 96 00 687 Fax: +30 (1) 96 00 693 Netherlands Tel: 0165 580 410 Fax: 0165 580 401 Norway Tel: 2318 5800 Fax: 2318 6800 Portugal Tel: 21 417 7035 Fax: 21 417 3184 Russian & other C.I.S. & N.I.S. Tel: +7 (095) 232 0250,956 1137 Fax: +7 (095) 230 6377 South East Asia Tel: 60 3 8024 2080 Fax: 60 3 8024 2090 Spain Tel: 93 594 49 50 Fax: 93 594 49 55 Sweden Tel: 018 612 19 00 Fax: 018 612 19 10 Switzerland Tel: 01 802 81 50 Fax: 01 802 81 51 UK Tel: 0800 616 928 Fax: 0800 616 927 USA Tel: +1 800 526 3593 Fax: +1 877 295 8102

HiPrep, Sephacryl and Drop Design are trademarks of Amersham Biosciences Limited. Amersham and Amersham Biosciences are trademarks of Amersham plc. All goods and services are sold subject to the terms and conditions of sale of the company within the Amersham Biosciences group that supplies them. A copy of these terms and conditions is available on request. Amersham Biosciences UK Limited, Amersham Place, Little Chalfont, Buckinghamshire HP7 9NA, England. Amersham Biosciences AB, Björkgatan 30, SE-751 84 Uppsala, Sweden. Amersham Biosciences Corp., 800 Centennial Avenue, PO Box 1327, Piscataway NJ 08855, USA. Amersham Biosciences Europe GmbH, Munzinger Strasse 9, D-79111 Freiburg, Germany. Amersham Biosciences K.K., Sanken Bldg. 3-25-1, Hyakunincho Shinjuku-ku, Tokyo 169-0073, Japan.

© Amersham Biosciences AB 2002 – All rights reserved.



Amersham  
Biosciences