

Reference list

🕒 Mono S (1998–2002)

References

Listed numerically by reference number

1. Effects of increased anionic charge in the beta-globin chain on assembly of hemoglobin in vitro. *Blood* **91**, 1438-45. (1998). Adachi, K., Yamaguchi, T., Pang, J. and Surrey, S.
2. Identification and characterization of a sialidase released by the salivary gland of the hematophagous insect *Triatoma infestans*. *J Biol Chem* **273**, 24575-82. (1998). Amino, R., Porto, R. M., Chammas, R., Egami, M. I. and Schenkman, S.
3. Prep1, a novel functional partner of Pbx proteins. *Embo J* **17**, 1423-33. (1998). Berthelsen, J., Zappavigna, V., Mavilio, F. and Blasi, F.
4. p40(phox) is phosphorylated on threonine 154 and serine 315 during activation of the phagocyte NADPH oxidase. Implication of a protein kinase c-type kinase in the phosphorylation process. *J Biol Chem* **273**, 30097-103. (1998). Bouin, A. P., Grandvaux, N., Vignais, P. V. and Fuchs, A.
5. Structure and processivity of two forms of *Saccharomyces cerevisiae* DNA polymerase delta. *J Biol Chem* **273**, 19756-62. (1998). Burgers, P. M. and Gerik, K. J.
6. The flagellar anti-sigma factor FlgM actively dissociates *Salmonella typhimurium* sigma28 RNA polymerase holoenzyme. *Genes Dev* **12**, 3123-36. (1998). Chadsey, M. S., Karlinsey, J. E. and Hughes, K. T.
7. Lysine 58 and histidine 66 at the C-terminal alpha-helix of monocyte chemoattractant protein-1 are essential for glycosaminoglycan binding. *J Biol Chem* **273**, 29641-7. (1998). Chakravarty, L., Rogers, L., Quach, T., Breckenridge, S. and Kolattukudy, P. E.
8. Antithrombotic effect of crotalin, a platelet membrane glycoprotein Ib antagonist from venom of *Crotalus atrox*. *Blood* **91**, 1582-9. (1998). Chang, M. C., Lin, H. K., Peng, H. C. and Huang, T. F.
9. A human RNA polymerase II complex containing factors that modify chromatin structure. *Mol Cell Biol* **18**, 5355-63. (1998). Cho, H., Orphanides, G., Sun, X., Yang, X. J., Ogryzko, V., Lees, E., Nakatani, Y. and Reinberg, D.
10. Allosteric interactions between capping enzyme subunits and the RNA polymerase II carboxy-terminal domain. *Genes Dev* **12**, 3482-7. (1998). Cho, E. J., Rodriguez, C. R., Takagi, T. and Buratowski, S.
11. Stimulation of "stress-regulated" mitogen-activated protein kinases (stress-activated protein kinases/c-Jun N-terminal kinases and p38-mitogen-activated protein kinases) in perfused rat hearts by oxidative and other stresses. *J Biol Chem* **273**, 7228-34. (1998). Clerk, A., Fuller, S. J., Michael, A. and Sugden, P. H.
12. The structure of the tetratricopeptide repeats of protein phosphatase 5: implications for TPR-mediated protein-protein interactions. *Embo J* **17**, 1192-9. (1998). Das, A. K., Cohen, P. W. and Barford, D.
13. Molecular features of the collagen V heparin binding site. *J Biol Chem* **273**, 15069-76. (1998). Delacoux, F., Fichard, A., Geourjon, C., Garrone, R. and Ruggiero, F.
14. A specific isoform of hnRNP D interacts with DNA in the LR1 heterodimer: canonical RNA binding motifs in a sequence-specific duplex DNA binding protein. *J Biol Chem* **273**, 29224-9. (1998). Dempsey, L. A., Hanakahi, L. A. and Maizels, N.
15. The N-terminal sequence affects distant helix interactions in hemoglobin. Implications for mutant proteins from studies on recombinant hemoglobin felix. *J Biol Chem* **273**, 35032-8. (1998). Dumoulin, A., Padovan, J. C., Manning, L. R., Popowicz, A., Winslow, R. M., Chait, B. T. and Manning, J. M.
16. Sequence specificity of viral end DNA binding by HIV-1 integrase reveals critical regions for protein-DNA interaction. *Embo J* **17**, 5832-43. (1998). Esposito, D. and Craigie, R.
17. 5' processing of tRNA precursors can be modulated by the human La antigen phosphoprotein. *Mol Cell Biol* **18**, 3201-11. (1998). Fan, H., Goodier, J. L., Chamberlain, J. R., Engelke, D. R. and Maraia, R. J.
18. Intramolecular repression of mouse heat shock factor 1. *Mol Cell Biol* **18**, 906-18. (1998). Farkas, T., Kutsikova, Y. A. and Zimarino, V.
19. The A2 subunit of factor VIIIa modulates the active site of factor IXa. *J Biol Chem* **273**, 19049-54. (1998). Fay, P. J. and Koshibu, K.
20. A nucleated assembly mechanism of Alzheimer paired helical filaments. *Proc Natl Acad Sci U S A* **95**, 15712-7. (1998). Friedhoff, P., von Bergen, M., Mandelkow, E. M., Davies, P. and Mandelkow, E.

21. Differential effects of PAK1-activating mutations reveal activity-dependent and -independent effects on cytoskeletal regulation. *J Biol Chem* **273**, 28191-8. (1998). Frost, J. A., Khokhlatchev, A., Stippec, S., White, M. A. and Cobb, M. H.
22. Association of the myosin-binding subunit of myosin phosphatase and moesin: dual regulation of moesin phosphorylation by Rho-associated kinase and myosin phosphatase. *J Cell Biol* **141**, 409-18. (1998). Fukata, Y., Kimura, K., Oshiro, N., Saya, H., Matsuura, Y. and Kaibuchi, K.
23. Delineation of the functional site of alpha-dendrotoxin. The functional topographies of dendrotoxins are different but share a conserved core with those of other Kv1 potassium channel-blocking toxins. *J Biol Chem* **273**, 25393-403. (1998). Gasparini, S., Danse, J. M., Lecoq, A., Pinkasfeld, S., Zinn-Justin, S., Young, L. C., de Medeiros, C. C., Rowan, E. G., Harvey, A. L. and Menez, A.
24. Isolation of cDNAs encoding novel transcription coactivators p52 and p75 reveals an alternate regulatory mechanism of transcriptional activation. *Embo J* **17**, 6723-9. (1998). Ge, H., Si, Y. and Roeder, R. G.
25. Characterization of the two small subunits of *Saccharomyces cerevisiae* DNA polymerase delta. *J Biol Chem* **273**, 19747-55. (1998). Gerik, K. J., Li, X., Pautz, A. and Burgers, P. M.
26. Growth inhibition of granulocyte-macrophage colony-forming cells by human cytidine deaminase requires the catalytic function of the protein. *Blood* **91**, 4127-35. (1998). Gran, C., Boyum, A., Johansen, R. F., Lovhaug, D. and Seeberg, E. C.
27. Structural homology between the Rap30 DNA-binding domain and linker histone H5: implications for preinitiation complex assembly. *Proc Natl Acad Sci U S A* **95**, 9117-22. (1998). Groft, C. M., Uljon, S. N., Wang, R. and Werner, M. H.
28. Involvement of TFIID and USA components in transcriptional activation of the human immunodeficiency virus promoter by NF-kappaB and Sp1. *Mol Cell Biol* **18**, 3234-44. (1998). Guermah, M., Malik, S. and Roeder, R. G.
29. The DNA-dependent ATPase activity of yeast nucleotide excision repair factor 4 and its role in DNA damage recognition. *J Biol Chem* **273**, 6292-6. (1998). Guzder, S. N., Sung, P., Prakash, L. and Prakash, S.
30. ATP-dependent assembly of a ternary complex consisting of a DNA mismatch and the yeast MSH2-MSH6 and MLH1-PMS1 protein complexes. *J Biol Chem* **273**, 9837-41. (1998). Habraken, Y., Sung, P., Prakash, L. and Prakash, S.
31. Isolation of a protein Z-dependent plasma protease inhibitor. *Proc Natl Acad Sci U S A* **95**, 9250-5. (1998). Han, X., Fiehler, R. and Broze, G. J., Jr.
32. A 55-kDa protein isolated from human cells shows DNA glycosylase activity toward 3,N4-ethenocytosine and the G/T mismatch. *Proc Natl Acad Sci U S A* **95**, 13561-6. (1998). Hang, B., Medina, M., Fraenkel-Conrat, H. and Singer, B.
33. Definition and redesign of the extended substrate specificity of granzyme B. *J Biol Chem* **273**, 27364-73. (1998). Harris, J. L., Peterson, E. P., Hudig, D., Thornberry, N. A. and Craik, C. S.
34. Mitotic silencing of human rRNA synthesis: inactivation of the promoter selectivity factor SL1 by cdc2/cyclin B-mediated phosphorylation. *Embo J* **17**, 7373-81. (1998). Heix, J., Vente, A., Voit, R., Budde, A., Michaelidis, T. M. and Grummt, I.
35. SNAP19 mediates the assembly of a functional core promoter complex (SNAPc) shared by RNA polymerases II and III. *Genes Dev* **12**, 2664-72. (1998). Henry, R. W., Mittal, V., Ma, B., Kobayashi, R. and Hernandez, N.
36. *Saccharomyces cerevisiae* LIF1: a function involved in DNA double-strand break repair related to mammalian XRCC4. *Embo J* **17**, 4188-98. (1998). Herrmann, G., Lindahl, T. and Schar, P.
37. Differential activation of two JNK activators, MKK7 and SEK1, by MKN28-derived nonreceptor serine/threonine kinase/mixed lineage kinase 2. *J Biol Chem* **273**, 7406-12. (1998). Hirai, S., Noda, K., Moriguchi, T., Nishida, E., Yamashita, A., Deyama, T., Fukuyama, K. and Ohno, S.
38. RNA polymerase II is an essential mRNA polyadenylation factor. *Nature* **395**, 93-6. (1998). Hirose, Y. and Manley, J. L.
39. Mutation-specific functional impairments in distinct tau isoforms of hereditary FTDP-17. *Science* **282**, 1914-7. (1998). Hong, M., Zhukareva, V., Vogelsberg-Ragaglia, V., Wszolek, Z., Reed, L., Miller, B. I., Geschwind, D. H., Bird, T. D., McKeel, D., Goate, A., Morris, J. C., Wilhelmsen, K. C., Schellenberg, G. D., Trojanowski, J. Q. and Lee, V. M.

40. Dissecting cAMP binding domain A in the RI α subunit of cAMP-dependent protein kinase. Distinct subsites for recognition of cAMP and the catalytic subunit. *J Biol Chem* **273**, 26739-46. (1998). Huang, L. J. and Taylor, S. S.
41. The endogenous and cell cycle-dependent phosphorylation of tau protein in living cells: implications for Alzheimer's disease. *Mol Biol Cell* **9**, 1495-512. (1998). Illenberger, S., Zheng-Fischhofer, Q., Preuss, U., Stamer, K., Baumann, K., Trinczek, B., Biernat, J., Godemann, R., Mandelkow, E. M. and Mandelkow, E.
42. The insulin-like growth factor (IGF)binding protein 1 binding epitope on IGF-I probed by heteronuclear NMR spectroscopy and mutational analysis. *J Biol Chem* **273**, 24701-7. (1998). Jansson, M., Andersson, G., Uhlen, M., Nilsson, B. and Kordel, J.
43. Regulation of DNA replication and repair proteins through interaction with the front side of proliferating cell nuclear antigen. *Embo J* **17**, 2412-25. (1998). Jonsson, Z. O., Hindges, R. and Hubscher, U.
44. Reconstitution of yeast RNA polymerase I transcription in vitro from purified components. TATA-binding protein is not required for basal transcription. *J Biol Chem* **273**, 33795-802. (1998). Keener, J., Josaitis, C. A., Dodd, J. A. and Nomura, M.
45. Purification, characterization, and kinetic mechanism of cyclin D1. CDK4, a major target for cell cycle regulation. *J Biol Chem* **273**, 26506-15. (1998). Konstantinidis, A. K., Radhakrishnan, R., Gu, F., Rao, R. N. and Yeh, W. K.
46. Subunit composition of brain voltage-gated potassium channels determined by hongotoxin-1, a novel peptide derived from *Centruroides limbatus* venom. *J Biol Chem* **273**, 2639-44. (1998). Koschak, A., Bugianesi, R. M., Mitterdorfer, J., Kaczorowski, G. J., Garcia, M. L. and Knaus, H. G.
47. Mutational analysis of the Mu transposase. Contributions of two distinct regions of domain II to recombination. *J Biol Chem* **273**, 31358-65. (1998). Kremntsova, E., Giffin, M. J., Pincus, D. and Baker, T. A.
48. New core promoter element in RNA polymerase II-dependent transcription: sequence-specific DNA binding by transcription factor IIB. *Genes Dev* **12**, 34-44. (1998). Lagrange, T., Kapanidis, A. N., Tang, H., Reinberg, D. and Ebright, R. H.
49. Isolation and characterization of a novel low molecular weight protein involved in intra-Golgi traffic. *J Biol Chem* **273**, 3105-9. (1998). Legesse-Miller, A., Sagiv, Y., Porat, A. and Elazar, Z.
50. Ribonuclease A variants with potent cytotoxic activity. *Proc Natl Acad Sci U S A* **95**, 10407-12. (1998). Leland, P. A., Schultz, L. W., Kim, B. M. and Raines, R. T.
51. The HIV-1 Tat cellular coactivator Tat-SF1 is a general transcription elongation factor. *Genes Dev* **12**, 2992-6. (1998). Li, X. Y. and Green, M. R.
52. Two functional states of the CD11b A-domain: correlations with key features of two Mn²⁺-complexed crystal structures. *J Cell Biol* **143**, 1523-34. (1998). Li, R., Rieu, P., Griffith, D. L., Scott, D. and Arnaout, M. A.
53. Pathway of complex formation between DNA and three subunits of CBF/NF-Y. Photocross-linking analysis of DNA-protein interaction and characterization of equilibrium steps of subunit interaction and dna binding. *J Biol Chem* **273**, 31590-8. (1998). Liang, S. G. and Maity, S. N.
54. DNA-dependent protein kinase phosphorylation of IkappaB alpha and IkappaB beta regulates NF-kappaB DNA binding properties. *Mol Cell Biol* **18**, 4221-34. (1998). Liu, L., Kwak, Y. T., Bex, F., Garcia-Martinez, L. F., Li, X. H., Meek, K., Lane, W. S. and Gaynor, R. B.
55. The 40-kDa subunit of DNA fragmentation factor induces DNA fragmentation and chromatin condensation during apoptosis. *Proc Natl Acad Sci U S A* **95**, 8461-6. (1998). Liu, X., Li, P., Widlak, P., Zou, H., Luo, X., Garrard, W. T. and Wang, X.
56. A human RNA polymerase II transcription termination factor is a SWI2/SNF2 family member. *J Biol Chem* **273**, 25541-4. (1998). Liu, M., Xie, Z. and Price, D. H.
57. Characterization of the recombinant MutY homolog, an adenine DNA glycosylase, from yeast *Schizosaccharomyces pombe*. *J Biol Chem* **273**, 25098-105. (1998). Lu, A. L. and Fawcett, W. P.
58. Sorbitol dehydrogenase of *Drosophila*. Gene, protein, and expression data show a two-gene system. *J Biol Chem* **273**, 34293-301. (1998). Luque, T., Hjelmqvist, L., Marfany, G., Danielsson, O., El-Ahmad, M., Persson, B., Jornvall, H. and Gonzalez-Duarte, R.
59. The Arp2/3 complex mediates actin polymerization induced by the small GTP-binding protein Cdc42. *Proc Natl Acad Sci U S A* **95**, 15362-7. (1998). Ma, L., Rohatgi, R. and Kirschner, M. W.
60. Antibody catalysis of peptidyl-prolyl cis-trans isomerization in the folding of RNase T1. *Proc Natl Acad Sci U S A* **95**, 7251-6. (1998). Ma, L., Hsieh-Wilson, L. C. and Schultz, P. G.

61. DNA polymerase II (epsilon) of *Saccharomyces cerevisiae* dissociates from the DNA template by sensing single-stranded DNA. *J Biol Chem* **273**, 21332-41. (1998). Maki, S., Hashimoto, K., Ohara, T. and Sugino, A.
62. A dynamic model for PC4 coactivator function in RNA polymerase II transcription. *Proc Natl Acad Sci U S A* **95**, 2192-7. (1998). Malik, S., Guermah, M. and Roeder, R. G.
63. An asparaginyl endopeptidase processes a microbial antigen for class II MHC presentation. *Nature* **396**, 695-9. (1998). Manoury, B., Hewitt, E. W., Morrice, N., Dando, P. M., Barrett, A. J. and Watts, C.
64. Novel cofactors and TFIIA mediate functional core promoter selectivity by the human TAFII150-containing TFIID complex. *Mol Cell Biol* **18**, 6571-83. (1998). Martinez, E., Ge, H., Tao, Y., Yuan, C. X., Palhan, V. and Roeder, R. G.
65. Dynamics of the interaction of human apurinic endonuclease (Ape1) with its substrate and product. *J Biol Chem* **273**, 30352-9. (1998). Masuda, Y., Bennett, R. A. and Demple, B.
66. A novel sphingosine-dependent protein kinase (SDK1) specifically phosphorylates certain isoforms of 14-3-3 protein. *J Biol Chem* **273**, 21834-45. (1998). Megidish, T., Cooper, J., Zhang, L., Fu, H. and Hakomori, S.
67. Control of cleavage site selection during mRNA 3' end formation by a yeast hnRNP. *Embo J* **17**, 7454-68. (1998). Minvielle-Sebastia, L., Beyer, K., Krecic, A. M., Hector, R. E., Swanson, M. S. and Keller, W.
68. beta2-glycoprotein-I (apolipoprotein H) and beta2-glycoprotein-I-phospholipid complex harbor a recognition site for the endocytic receptor megalin. *J Clin Invest* **102**, 902-9. (1998). Moestrup, S. K., Schousboe, I., Jacobsen, C., Leheste, J. R., Christensen, E. I. and Willnow, T. E.
69. The upstream sequence element of the C2 complement poly(A) signal activates mRNA 3' end formation by two distinct mechanisms. *Genes Dev* **12**, 2522-34. (1998). Moreira, A., Takagaki, Y., Brackenridge, S., Wollerton, M., Manley, J. L. and Proudfoot, N. J.
70. X-ray crystal structure of C3d: a C3 fragment and ligand for complement receptor 2. *Science* **280**, 1277-81. (1998). Nagar, B., Jones, R. G., Diefenbach, R. J., Isenman, D. E. and Rini, J. M.
71. Mutational analysis of domain II beta of bacteriophage Mu transposase: domains II alpha and II beta belong to different catalytic complementation groups. *J Mol Biol* **275**, 221-32. (1998). Namgoong, S. Y., Kim, K., Saxena, P., Yang, J. Y., Jayaram, M., Giedroc, D. P. and Harshey, R. M.
72. The mammalian transcriptional repressor RBP (CBF1) targets TFIID and TFIIA to prevent activated transcription. *Genes Dev* **12**, 1621-37. (1998). Olave, I., Reinberg, D. and Vales, L. D.
73. An alternatively spliced fibroblast growth factor (FGF)-5 mRNA is abundant in brain and translates into a partial agonist/antagonist for FGF-5 neurotrophic activity. *J Biol Chem* **273**, 29262-71. (1998). Ozawa, K., Suzuki, S., Asada, M., Tomooka, Y., Li, A. J., Yoneda, A., Komi, A. and Imamura, T.
74. Suppression of accelerated diabetic atherosclerosis by the soluble receptor for advanced glycation endproducts. *Nat Med* **4**, 1025-31. (1998). Park, L., Raman, K. G., Lee, K. J., Lu, Y., Ferran, L. J., Jr., Chow, W. S., Stern, D. and Schmidt, A. M.
75. Identification of a cyclin subunit required for the function of *Drosophila* P-TEFb. *J Biol Chem* **273**, 13855-60. (1998). Peng, J., Marshall, N. F. and Price, D. H.
76. Identification of multiple cyclin subunits of human P-TEFb. *Genes Dev* **12**, 755-62. (1998). Peng, J., Zhu, Y., Milton, J. T. and Price, D. H.
77. Catalysis of homologous DNA pairing by yeast Rad51 and Rad54 proteins. *Nature* **393**, 91-4. (1998). Petukhova, G., Stratton, S. and Sung, P.
78. Production of fully active recombinant murine granzyme B in yeast. *J Biol Chem* **273**, 1629-33. (1998). Pham, C. T., Thomas, D. A., Mercer, J. D. and Ley, T. J.
79. Dehydration of model membranes induced by lectins from *Ricinus communis* and *Viscum album*. *Biophys J* **75**, 2868-76. (1998). Pohl, P., Saparov, S. M., Pohl, E. E., Evtodienko, V. Y., Agapov, II and Tonevitsky, A. G.
80. Purification and cloning of a protein kinase that phosphorylates and activates the polo-like kinase Plx1. *Science* **282**, 1701-4. (1998). Qian, Y. W., Erikson, E. and Maller, J. L.
81. Ku protein stimulates DNA end joining by mammalian DNA ligases: a direct role for Ku in repair of DNA double-strand breaks. *Embo J* **17**, 609-14. (1998). Ramsden, D. A. and Gellert, M.
82. *Drosophila* Rrp1 domain structure as defined by limited proteolysis and biophysical analyses. *J Biol Chem* **273**, 33991-9. (1998). Reardon, B. J., Lombardo, C. R. and Sander, M.
83. A multifunctional repeated motif is present in human bifunctional tRNA synthetase. *J Biol Chem* **273**, 11267-73. (1998). Rho, S. B., Lee, J. S., Jeong, E. J., Kim, K. S., Kim, Y. G. and Kim, S.

84. NTF2 mediates nuclear import of Ran. *Embo J* 17, 6587-98. (1998). Ribbeck, K., Lipowsky, G., Kent, H. M., Stewart, M. and Gorlich, D.
85. Structure and activity of rat pancreatic lipase-related protein 2. *J Biol Chem* 273, 32121-8. (1998). Roussel, A., Yang, Y., Ferrato, F., Verger, R., Cambillau, C. and Lowe, M.
86. RNA binding activity of heterodimeric splicing factor U2AF: at least one RS domain is required for high-affinity binding. *Mol Cell Biol* 18, 4004-11. (1998). Rudner, D. Z., Breger, K. S., Kanaar, R., Adams, M. D. and Rio, D. C.
87. Direction determination in the minus-end-directed kinesin motor ncd. *Nature* 395, 813-6. (1998). Sablin, E. P., Case, R. B., Dai, S. C., Hart, C. L., Ruby, A., Vale, R. D. and Fletterick, R. J.
88. Human CDC6/Cdc18 associates with Orc1 and cyclin-cdk and is selectively eliminated from the nucleus at the onset of S phase. *Mol Cell Biol* 18, 2758-67. (1998). Saha, P., Chen, J., Thome, K. C., Lawlis, S. J., Hou, Z. H., Hendricks, M., Parvin, J. D. and Dutta, A.
89. Nuclear mRNA export requires complex formation between Mex67p and Mtr2p at the nuclear pores. *Mol Cell Biol* 18, 6826-38. (1998). Santos-Rosa, H., Moreno, H., Simos, G., Segref, A., Fahrenkrog, B., Pante, N. and Hurt, E.
90. 3,N4-ethenocytosine, a highly mutagenic adduct, is a primary substrate for Escherichia coli double-stranded uracil-DNA glycosylase and human mismatch-specific thymine-DNA glycosylase. *Proc Natl Acad Sci U S A* 95, 8508-13. (1998). Saparbaev, M. and Laval, J.
91. Ramifications of kinetic partitioning on usher-mediated pilus biogenesis. *Embo J* 17, 2177-85. (1998). Saulino, E. T., Thanassi, D. G., Pinkner, J. S. and Hultgren, S. J.
92. Rad23 links DNA repair to the ubiquitin/proteasome pathway. *Nature* 391, 715-8. (1998). Schaubert, C., Chen, L., Tongaonkar, P., Vega, I., Lambertson, D., Potts, W. and Madura, K.
93. Molecular characterization of a novel, widespread nuclear protein that colocalizes with spliceosome components. *Mol Biol Cell* 9, 143-60. (1998). Schmidt-Zachmann, M. S., Knecht, S. and Kramer, A.
94. Characterization of human hect domain family members and their interaction with UbcH5 and UbcH7. *J Biol Chem* 273, 12148-54. (1998). Schwarz, S. E., Rosa, J. L. and Scheffner, M.
95. Arginine methylation facilitates the nuclear export of hnRNP proteins. *Genes Dev* 12, 679-91. (1998). Shen, E. C., Henry, M. F., Weiss, V. H., Valentini, S. R., Silver, P. A. and Lee, M. S.
96. Identification and purification of the Holo-ELL complex. Evidence for the presence of ELL-associated proteins that suppress the transcriptional inhibitory activity of ELL. *J Biol Chem* 273, 11212-7. (1998). Shilatifard, A.
97. Common in vitro substrate specificity and differential Src homology 2 domain accessibility displayed by two members of the Src family of protein-tyrosine kinases, c-Src and Hck. *J Biol Chem* 273, 16756-63. (1998). Sicilia, R. J., Hibbs, M. L., Bello, P. A., Bjorge, J. D., Fujita, D. J., Stanley, I. J., Dunn, A. R. and Cheng, H. C.
98. Trypanosome capping enzymes display a novel two-domain structure. *Mol Cell Biol* 18, 4612-9. (1998). Silva, E., Ullu, E., Kobayashi, R. and Tschudi, C.
99. Mitochondrial creatine kinase is a prime target of peroxynitrite-induced modification and inactivation. *J Biol Chem* 273, 16694-9. (1998). Stachowiak, O., Dolder, M., Wallimann, T. and Richter, C.
100. Isolation and characterization of the gene encoding a novel factor Xa-directed anticoagulant from the yellow fever mosquito, *Aedes aegypti*. *J Biol Chem* 273, 20802-9. (1998). Stark, K. R. and James, A. A.
101. The ATPase activity of Myr3, a rat myosin I, is allosterically inhibited by its own tail domain and by Ca²⁺ binding to its light chain calmodulin. *J Biol Chem* 273, 14605-11. (1998). Stoffler, H. E. and Bahler, M.
102. The NMR structure of Escherichia coli ribosomal protein L25 shows homology to general stress proteins and glutamyl-tRNA synthetases. *Embo J* 17, 6377-84. (1998). Stoldt, M., Wohnert, J., Grolach, M. and Brown, L. R.
103. DNA bending by the chromosomal protein HMG1 and its high mobility group box domains. Effect of flanking sequences. *J Biol Chem* 273, 10355-61. (1998). Stros, M.
104. Manganese lipoxygenase. Purification and characterization. *J Biol Chem* 273, 13072-9. (1998). Su, C. and Oliw, E. H.
105. The human RAD54 recombinational DNA repair protein is a double-stranded DNA-dependent ATPase. *J Biol Chem* 273, 28292-7. (1998). Swagemakers, S. M., Essers, J., de Wit, J., Hoeijmakers, J. H. and Kanaar, R.

- 106.** Macrophage migration inhibitory factor interactions with glutathione and S-hexylglutathione. *J Biol Chem* **273**, 14877-84. (1998). Swope, M. D., Sun, H. W., Klockow, B., Blake, P. and Lolis, E.
- 107.** Yeast coactivator MBF1 mediates GCN4-dependent transcriptional activation. *Mol Cell Biol* **18**, 4971-6. (1998). Takemaru, K., Harashima, S., Ueda, H. and Hirose, S.
- 108.** Mammalian mitochondrial methionyl-tRNA transformylase from bovine liver. Purification, characterization, and gene structure. *J Biol Chem* **273**, 15085-90. (1998). Takeuchi, N., Kawakami, M., Omori, A., Ueda, T., Spremulli, L. L. and Watanabe, K.
- 109.** Structural and transglutaminase substrate properties of the small proline-rich 2 family of cornified cell envelope proteins. *J Biol Chem* **273**, 23297-303. (1998). Tarcsa, E., Candi, E., Kartasova, T., Idler, W. W., Marekov, L. N. and Steinert, P. M.
- 110.** Redox potential controls the structure and DNA binding activity of the paired domain. *J Biol Chem* **273**, 25062-72. (1998). Tell, G., Scaloni, A., Pellizzari, L., Formisano, S., Pucillo, C. and Damante, G.
- 111.** DNA-dependent protein kinase interacts with antigen receptor response element binding proteins NF90 and NF45. *J Biol Chem* **273**, 2136-45. (1998). Ting, N. S., Kao, P. N., Chan, D. W., Lintott, L. G. and Lees-Miller, S. P.
- 112.** The metal binding site of the hepatitis C virus NS3 protease. A spectroscopic investigation. *J Biol Chem* **273**, 18760-9. (1998). Urbani, A., Bazzo, R., Nardi, M. C., Cicero, D. O., De Francesco, R., Steinkuhler, C. and Barbato, G.
- 113.** Transcriptional activators direct histone acetyltransferase complexes to nucleosomes. *Nature* **394**, 498-502. (1998). Utley, R. T., Ikeda, K., Grant, P. A., Cote, J., Steger, D. J., Eberharter, A., John, S. and Workman, J. L.
- 114.** DSIF, a novel transcription elongation factor that regulates RNA polymerase II processivity, is composed of human Spt4 and Spt5 homologs. *Genes Dev* **12**, 343-56. (1998). Wada, T., Takagi, T., Yamaguchi, Y., Ferdous, A., Imai, T., Hirose, S., Sugimoto, S., Yano, K., Hartzog, G. A., Winston, F., Buratowski, S. and Handa, H.
- 115.** Evidence that P-TEFb alleviates the negative effect of DSIF on RNA polymerase II-dependent transcription in vitro. *Embo J* **17**, 7395-403. (1998). Wada, T., Takagi, T., Yamaguchi, Y., Watanabe, D. and Handa, H.
- 116.** Kinetics of the action of thymine DNA glycosylase. *J Biol Chem* **273**, 20007-14. (1998). Waters, T. R. and Swann, P. F.
- 117.** The oligomeric structure of GroEL/GroES is required for biologically significant chaperonin function in protein folding. *Nat Struct Biol* **5**, 977-85. (1998). Weber, F., Keppel, F., Georgopoulos, C., Hayer-Hartl, M. K. and Hartl, F. U.
- 118.** Substrate specificity of the SpCCE1 holliday junction resolvase of *Schizosaccharomyces pombe*. *J Biol Chem* **273**, 35063-73. (1998). Whitby, M. C. and Dixon, J.
- 119.** Proteolytic enzymes from larvae of the fire ant, *Solenopsis invicta*. Isolation and characterization of four serine endopeptidases. *J Biol Chem* **273**, 14430-4. (1998). Whitworth, S. T., Blum, M. S. and Travis, J.
- 120.** Atomic structure of progesterone complexed with its receptor. *Nature* **393**, 392-6. (1998). Williams, S. P. and Sigler, P. B.
- 121.** The NADP-dependent methylene tetrahydromethanopterin dehydrogenase in *Methylobacterium extorquens* AM1. *J Bacteriol* **180**, 5351-6. (1998). Vorholt, J. A., Chistoserdova, L., Lidstrom, M. E. and Thauer, R. K.
- 122.** Role of beta112 Cys (G14) in homo- (beta4) and hetero- (alpha2 beta2) tetramer hemoglobin formation. *J Biol Chem* **273**, 14179-85. (1998). Yamaguchi, T., Pang, J., Reddy, K. S., Surrey, S. and Adachi, K.
- 123.** Non-p53 p53RE binding protein, a human transcription factor functionally analogous to P53. *Proc Natl Acad Sci U S A* **95**, 6681-6. (1998). Zeng, X., Levine, A. J. and Lu, H.
- 124.** Cell lines from kidney proximal tubules of a patient with Lowe syndrome lack OCRL inositol polyphosphate 5-phosphatase and accumulate phosphatidylinositol 4,5-bisphosphate. *J Biol Chem* **273**, 1574-82. (1998). Zhang, X., Hartz, P. A., Philip, E., Racusen, L. C. and Majerus, P. W.
- 125.** Structural requirements for association of neurofascin with ankyrin. *J Biol Chem* **273**, 30785-94. (1998). Zhang, X., Davis, J. Q., Carpenter, S. and Bennett, V.
- 126.** Processivity of the *Saccharomyces cerevisiae* poly(A) polymerase requires interactions at the carboxyl-terminal RNA binding domain. *Mol Cell Biol* **18**, 5942-51. (1998). Zhelkovsky, A., Helmling, S. and Moore, C.
- 127.** Elapid venom toxins: multiple recruitments of ancient scaffolds. *Eur J Biochem* **259**, 225-34. (1999). Alape-Giron, A., Persson, B., Cederlund, E., Flores-Diaz, M., Gutierrez, J. M., Thelestam, M., Bergman, T. and Jornvall, H.

- 128.** NuA4, an essential transcription adaptor/histone H4 acetyltransferase complex containing Esa1p and the ATM-related cofactor Tra1p. *Embo J* **18**, 5108-19. (1999). Allard, S., Utley, R. T., Savard, J., Clarke, A., Grant, P., Brandl, C. J., Pillus, L., Workman, J. L. and Cote, J.
- 129.** The yeast exosome and human PM-Scl are related complexes of 3' → 5' exonucleases. *Genes Dev* **13**, 2148-58. (1999). Allmang, C., Petfalski, E., Podtelejnikov, A., Mann, M., Tollervey, D. and Mitchell, P.
- 130.** The *Saccharomyces cerevisiae* homologues of endonuclease III from *Escherichia coli*, Ntg1 and Ntg2, are both required for efficient repair of spontaneous and induced oxidative DNA damage in yeast. *Mol Cell Biol* **19**, 3779-87. (1999). Alseth, I., Eide, L., Pirovano, M., Rognes, T., Seeberg, E. and Bjoras, M.
- 131.** Modification of the unfolding region in bovine pancreatic ribonuclease and its influence on the thermal stability and proteolytic fragmentation. *Eur J Biochem* **259**, 470-5. (1999). Arnold, U., Schierhorn, A. and Ulbrich-hofmann, R.
- 132.** Mutants of Tn3 resolvase which do not require accessory binding sites for recombination activity. *Embo J* **18**, 1407-14. (1999). Arnold, P. H., Blake, D. G., Grindley, N. D., Boocock, M. R. and Stark, W. M.
- 133.** *Drosophila* ORC specifically binds to ACE3, an origin of DNA replication control element. *Genes Dev* **13**, 2639-49. (1999). Austin, R. J., Orr-Weaver, T. L. and Bell, S. P.
- 134.** Twelve species of the nucleoid-associated protein from *Escherichia coli*. Sequence recognition specificity and DNA binding affinity. *J Biol Chem* **274**, 33105-13. (1999). Azam, T. A. and Ishihama, A.
- 135.** Interactions of CcdB with DNA gyrase. Inactivation of Gyra, poisoning of the gyrase-DNA complex, and the antidote action of CcdA. *J Biol Chem* **274**, 10936-44. (1999). Bahassi, E. M., O'Dea, M. H., Allali, N., Messens, J., Gellert, M. and Couturier, M.
- 136.** Cloning and characterization of a close homologue of human UDP-N-acetyl-alpha-D-galactosamine:Polypeptide N-acetylgalactosaminyltransferase-T3, designated GalNAc-T6. Evidence for genetic but not functional redundancy. *J Biol Chem* **274**, 25362-70. (1999). Bennett, E. P., Hassan, H., Mandel, U., Hollingsworth, M. A., Akisawa, N., Ikematsu, Y., Merckx, G., van Kessel, A. G., Olofsson, S. and Clausen, H.
- 137.** Dual interaction of ADP ribosylation factor 1 with Sec7 domain and with lipid membranes during catalysis of guanine nucleotide exchange. *J Biol Chem* **274**, 37629-36. (1999). Beraud-Dufour, S., Paris, S., Chabre, M. and Antonny, B.
- 138.** Implications of hemolin glycosylation and Ca²⁺-binding on homophilic and cellular interactions. *Eur J Biochem* **266**, 964-76. (1999). Bettencourt, R., Gunne, H., Gastinel, L., Steiner, H. and Faye, I.
- 139.** The predominant protein on the surface of maize pollen is an endoxylanase synthesized by a tapetum mRNA with a long 5' leader. *J Biol Chem* **274**, 22884-94. (1999). Bih, F. Y., Wu, S. S., Ratnayake, C., Walling, L. L., Nothnagel, E. A. and Huang, A. H.
- 140.** Reverse physiology in *Drosophila*: identification of a novel allatostatin-like neuropeptide and its cognate receptor structurally related to the mammalian somatostatin/galanin/opioid receptor family. *Embo J* **18**, 5892-900. (1999). Birgul, N., Weise, C., Kreienkamp, H. J. and Richter, D.
- 141.** Kinetic and product distribution analysis of human eosinophil cationic protein indicates a subsite arrangement that favors exonuclease-type activity. *J Biol Chem* **274**, 15605-14. (1999). Boix, E., Nikolovski, Z., Moiseyev, G. P., Rosenberg, H. F., Cuchillo, C. M. and Nogues, M. V.
- 142.** P1 ParA interacts with the P1 partition complex at parS and an ATP-ADP switch controls ParA activities. *Embo J* **18**, 1415-24. (1999). Bouet, J. Y. and Funnell, B. E.
- 143.** Transglutaminase cross-linking properties of the small proline-rich 1 family of cornified cell envelope proteins. Integration with loricrin. *J Biol Chem* **274**, 7226-37. (1999). Candi, E., Tarcsa, E., Idler, W. W., Kartasova, T., Marekov, L. N. and Steinert, P. M.
- 144.** Structure of a soluble secreted chemokine inhibitor vCCI (p35) from cowpox virus. *Proc Natl Acad Sci U S A* **96**, 12379-83. (1999). Carfi, A., Smith, C. A., Smolak, P. J., McGrew, J. and Wiley, D. C.
- 145.** Yeast HOS3 forms a novel trichostatin A-insensitive homodimer with intrinsic histone deacetylase activity. *Proc Natl Acad Sci U S A* **96**, 12356-61. (1999). Carmen, A. A., Griffin, P. R., Calaycay, J. R., Rundlett, S. E., Suka, Y. and Grunstein, M.
- 146.** The accessory subunit of *Xenopus laevis* mitochondrial DNA polymerase gamma increases processivity of the catalytic subunit of human DNA polymerase gamma and is related to class II aminoacyl-tRNA synthetases. *Mol Cell Biol* **19**, 4039-46. (1999). Carrodeguas, J. A., Kobayashi, R., Lim, S. E., Copeland, W. C. and Bogenhagen, D. F.

- 147.** Biophysical characterization of lithostathine. Evidences for a polymeric structure at physiological pH and a proteolysis mechanism leading to the formation of fibrils. *J Biol Chem* **274**, 22266-74. (1999). Cerini, C., Peyrot, V., Garnier, C., Duplan, L., Veessler, S., Le Caer, J. P., Bernard, J. P., Bouteille, H., Michel, R., Vazi, A., Dupuy, P., Michel, B., Berland, Y. and Verdier, J. M.
- 148.** Crystal structure of an OCA-B peptide bound to an Oct-1 POU domain/octamer DNA complex: specific recognition of a protein-DNA interface. *Genes Dev* **13**, 2650-7. (1999). Chasman, D., Cepek, K., Sharp, P. A. and Pabo, C. O.
- 149.** Radiation-induced assembly of Rad51 and Rad52 recombination complex requires ATM and c-Abl. *J Biol Chem* **274**, 12748-52. (1999). Chen, G., Yuan, S. S., Liu, W., Xu, Y., Trujillo, K., Song, B., Cong, F., Goff, S. P., Wu, Y., Arlinghaus, R., Baltimore, D., Gasser, P. J., Park, M. S., Sung, P. and Lee, E. Y.
- 150.** Chemical shift perturbation studies of the interactions of the second RNA-binding domain of the *Drosophila* sex-lethal protein with the transformer pre-mRNA polyuridine tract and 3' splice-site sequences. *Eur J Biochem* **260**, 649-60. (1999). Chi, S. W., Muto, Y., Inoue, M., Kim, I., Sakamoto, H., Shimura, Y., Yokoyama, S., Choi, B. S. and Kim, H.
- 151.** Evidence that transcription factor IIB is required for a post-assembly step in transcription initiation. *J Biol Chem* **274**, 25807-13. (1999). Cho, E. J. and Buratowski, S.
- 152.** Identification and characterization of human rhinovirus-14 3C protease deamidation isoform. *J Biol Chem* **274**, 13211-6. (1999). Cox, G. A., Johnson, R. B., Cook, J. A., Wakulchik, M., Johnson, M. G., Villarreal, E. C. and Wang, Q. M.
- 153.** Quantitative analysis of histone H1 degrees protein synthesis in HTC cells. *Eur J Biochem* **261**, 593-9. (1999). Cuisset, L., Tichonicky, L. and Delpech, M.
- 154.** Missense and silent tau gene mutations cause frontotemporal dementia with parkinsonism-chromosome 17 type, by affecting multiple alternative RNA splicing regulatory elements. *Proc Natl Acad Sci U S A* **96**, 5598-603. (1999). D'Souza, I., Poorkaj, P., Hong, M., Nochlin, D., Lee, V. M., Bird, T. D. and Schellenberg, G. D.
- 155.** The ADA complex is a distinct histone acetyltransferase complex in *Saccharomyces cerevisiae*. *Mol Cell Biol* **19**, 6621-31. (1999). Eberharter, A., Sterner, D. E., Schieltz, D., Hassan, A., Yates, J. R., 3rd, Berger, S. L. and Workman, J. L.
- 156.** Analysis of dynactin subcomplexes reveals a novel actin-related protein associated with the arp1 minifilament pointed end. *J Cell Biol* **147**, 307-20. (1999). Eckley, D. M., Gill, S. R., Melkonian, K. A., Bingham, J. B., Goodson, H. V., Heuser, J. E. and Schroer, T. A.
- 157.** Identification and characterization of falcilysin, a metallopeptidase involved in hemoglobin catabolism within the malaria parasite *Plasmodium falciparum*. *J Biol Chem* **274**, 32411-7. (1999). Eggleston, K. K., Duffin, K. L. and Goldberg, D. E.
- 158.** Purification and characterization of a membrane-bound nonlysosomal ceramidase from rat brain. *J Biol Chem* **274**, 27948-55. (1999). El Bawab, S., Bielawska, A. and Hannun, Y. A.
- 159.** Cell adhesion to tenascin-X mapping of cell adhesion sites and identification of integrin receptors. *Eur J Biochem* **263**, 840-8. (1999). Elefteriou, F., Exposito, J. Y., Garrone, R. and Lethias, C.
- 160.** The N-terminal POZ domain of GAGA mediates the formation of oligomers that bind DNA with high affinity and specificity. *J Biol Chem* **274**, 16461-9. (1999). Espinas, M. L., Jimenez-Garcia, E., Vaquero, A., Canudas, S., Bernues, J. and Azorin, F.
- 161.** Mixed and non-cognate SNARE complexes. Characterization of assembly and biophysical properties. *J Biol Chem* **274**, 15440-6. (1999). Fasshauer, D., Antonin, W., Margittai, M., Pabst, S. and Jahn, R.
- 162.** Control of G2/M transition in *Xenopus* by a member of the p21-activated kinase (PAK) family: a link between protein kinase A and PAK signaling pathways? *J Biol Chem* **274**, 3573-9. (1999). Faure, S., Vigneron, S., Galas, S., Brassac, T., Delsert, C. and Morin, N.
- 163.** The A1 and A2 subunits of factor VIIIa synergistically stimulate factor IXa catalytic activity. *J Biol Chem* **274**, 15401-6. (1999). Fay, P. J., Koshibu, K. and Mastri, M.
- 164.** Human inhibitor antibodies specific for the factor VIII A2 domain disrupt the interaction between the subunit and factor IXa. *J Biol Chem* **274**, 29826-30. (1999). Fay, P. J. and Scandella, D.
- 165.** Thyroid hormone receptor-associated proteins and general positive cofactors mediate thyroid hormone receptor function in the absence of the TATA box-binding protein-associated factors of TFIID. *Proc Natl Acad Sci U S A* **96**, 1959-64. (1999). Fondell, J. D., Guermah, M., Malik, S. and Roeder, R. G.

- 166.** Crystal structure of an IRF-DNA complex reveals novel DNA recognition and cooperative binding to a tandem repeat of core sequences. *Embo J* **18**, 5028-41. (1999). Fujii, Y., Shimizu, T., Kusumoto, M., Kyogoku, Y., Taniguchi, T. and Hakoshima, T.
- 167.** The Doc toxin and Phd antidote proteins of the bacteriophage P1 plasmid addiction system form a heterotrimeric complex. *J Biol Chem* **274**, 16813-8. (1999). Gazit, E. and Sauer, R. T.
- 168.** Stability and DNA binding of the phd protein of the phage P1 plasmid addiction system. *J Biol Chem* **274**, 2652-7. (1999). Gazit, E. and Sauer, R. T.
- 169.** Recognition, targeting, and hydrolysis of the lambda O replication protein by the ClpP/ClpX protease. *J Biol Chem* **274**, 13999-4005. (1999). Gonciarz-Swiatek, M., Wawrzynow, A., Um, S. J., Learn, B. A., McMacken, R., Kelley, W. L., Georgopoulos, C., Sliemers, O. and Zylicz, M.
- 170.** Expanded lysine acetylation specificity of Gcn5 in native complexes. *J Biol Chem* **274**, 5895-900. (1999). Grant, P. A., Eberharter, A., John, S., Cook, R. G., Turner, B. M. and Workman, J. L.
- 171.** Unexpected crucial role of residue 225 in serine proteases. *Proc Natl Acad Sci U S A* **96**, 1852-7. (1999). Guinto, E. R., Caccia, S., Rose, T., Futterer, K., Waksman, G. and Di Cera, E.
- 172.** Synergistic interaction between yeast nucleotide excision repair factors NEF2 and NEF4 in the binding of ultraviolet-damaged DNA. *J Biol Chem* **274**, 24257-62. (1999). Guzder, S. N., Sung, P., Prakash, L. and Prakash, S.
- 173.** An efficient DNA sequencing strategy based on the bacteriophage mu in vitro DNA transposition reaction. *Genome Res* **9**, 308-15. (1999). Haapa, S., Suomalainen, S., Erikainen, S., Airaksinen, M., Paulin, L. and Savilahti, H.
- 174.** High affinity interactions of nucleolin with G-G-paired rDNA. *J Biol Chem* **274**, 15908-12. (1999). Hanakahi, L. A., Sun, H. and Maizels, N.
- 175.** The leucine-based sorting motifs in the cytoplasmic domain of the invariant chain are recognized by the clathrin adaptors AP1 and AP2 and their medium chains. *J Biol Chem* **274**, 36153-8. (1999). Hofmann, M. W., Honing, S., Rodionov, D., Dobberstein, B., von Figura, K. and Bakke, O.
- 176.** Association of p19(ARF) with Mdm2 inhibits ubiquitin ligase activity of Mdm2 for tumor suppressor p53. *Embo J* **18**, 22-7. (1999). Honda, R. and Yasuda, H.
- 177.** A Dictyostelium protein binds to distinct oligo(dA) x oligo(dT) DNA sequences in the C-module of the retrotransposable element DRE. *Eur J Biochem* **265**, 441-8. (1999). Horn, J., Dietz-Schmidt, A., Zundorf, I., Garin, J., Dingermann, T. and Winckler, T.
- 178.** A human DNA editing enzyme homologous to the Escherichia coli DnaQ/MutD protein. *Embo J* **18**, 3868-75. (1999). Hoss, M., Robins, P., Naven, T. J., Pappin, D. J., Sgouros, J. and Lindahl, T.
- 179.** Activation domain-specific and general transcription stimulation by native histone acetyltransferase complexes. *Mol Cell Biol* **19**, 855-63. (1999). Ikeda, K., Steger, D. J., Eberharter, A. and Workman, J. L.
- 180.** Solution structures of the first and second RNA-binding domains of human U2 small nuclear ribonucleoprotein particle auxiliary factor (U2AF(65)). *Embo J* **18**, 4523-34. (1999). Ito, T., Muto, Y., Green, M. R. and Yokoyama, S.
- 181.** Introduction of a C-terminal aromatic sequence from snake venom phospholipases A2 into the porcine pancreatic isozyme dramatically changes the interfacial kinetics. *Eur J Biochem* **263**, 782-8. (1999). Janssen, M. J., Burghout, P. J., Verheij, H. M., Slotboom, A. J. and Egmond, M. R.
- 182.** Engineering the disulphide bond patterns of secretory phospholipases A2 into porcine pancreatic isozyme. The effects on folding, stability and enzymatic properties. *Eur J Biochem* **261**, 197-207. (1999). Janssen, M. J., Verheij, H. M., Slotboom, A. J. and Egmond, M. R.
- 183.** Structural basis of profactor D activation: from a highly flexible zymogen to a novel self-inhibited serine protease, complement factor D. *Embo J* **18**, 804-14. (1999). Jing, H., Macon, K. J., Moore, D., DeLucas, L. J., Volanakis, J. E. and Narayana, S. V.
- 184.** The compact conformation of fibronectin is determined by intramolecular ionic interactions. *J Biol Chem* **274**, 15473-9. (1999). Johnson, K. J., Sage, H., Briscoe, G. and Erickson, H. P.
- 185.** Molecular characterization of a human DNA kinase. *J Biol Chem* **274**, 24187-94. (1999). Karimi-Busheri, F., Daly, G., Robins, P., Canas, B., Pappin, D. J., Sgouros, J., Miller, G. G., Fakhrai, H., Davis, E. M., Le Beau, M. M. and Weinfeld, M.
- 186.** The Mex67p-mediated nuclear mRNA export pathway is conserved from yeast to human. *Embo J* **18**, 2593-609. (1999). Katahira, J., Strasser, K., Podtelejnikov, A., Mann, M., Jung, J. U. and Hurt, E.

- 187.** The interaction between Z-DNA and the Zab domain of double-stranded RNA adenosine deaminase characterized using fusion nucleases. *J Biol Chem* **274**, 19081-6. (1999). Kim, Y. G., Lowenhaupt, K., Schwartz, T. and Rich, A.
- 188.** Natural synthesis of a DNA-binding protein from the C-terminal domain of DNA gyrase A in *Borrelia burgdorferi*. *Embo J* **18**, 4875-81. (1999). Knight, S. W. and Samuels, D. S.
- 189.** Human deafness dystonia syndrome is a mitochondrial disease. *Proc Natl Acad Sci U S A* **96**, 2141-6. (1999). Koehler, C. M., Leuenberger, D., Merchant, S., Renold, A., Junne, T. and Schatz, G.
- 190.** Combined biochemical and electron microscopic analyses reveal the architecture of the mammalian U2 snRNP. *J Cell Biol* **145**, 1355-68. (1999). Kramer, A., Gruter, P., Groning, K. and Kastner, B.
- 191.** Nonhomologous DNA end joining in cell-free systems. *Eur J Biochem* **265**, 849-61. (1999). Labhart, P.
- 192.** GTP hydrolysis by arf-1 mediates sorting and concentration of Golgi resident enzymes into functional COP I vesicles. *Embo J* **18**, 4935-48. (1999). Lanoix, J., Ouwendijk, J., Lin, C. C., Stark, A., Love, H. D., Ostermann, J. and Nilsson, T.
- 193.** The mitochondrial p55 accessory subunit of human DNA polymerase gamma enhances DNA binding, promotes processive DNA synthesis, and confers N-ethylmaleimide resistance. *J Biol Chem* **274**, 38197-203. (1999). Lim, S. E., Longley, M. J. and Copeland, W. C.
- 194.** Secretory expression and site-directed mutagenesis studies of the winter flounder skin-type antifreeze polypeptides. *Eur J Biochem* **264**, 49-54. (1999). Lin, Q., Ewart, K. V., Yan, Q., Wong, W. K., Yang, D. S. and Hew, C. L.
- 195.** Crystal structure of the conserved core of the herpes simplex virus transcriptional regulatory protein VP16. *Genes Dev* **13**, 1692-703. (1999). Liu, Y., Gong, W., Huang, C. C., Herr, W. and Cheng, X.
- 196.** Activation of the apoptotic endonuclease DFF40 (caspase-activated DNase or nuclease). Oligomerization and direct interaction with histone H1. *J Biol Chem* **274**, 13836-40. (1999). Liu, X., Zou, H., Widlak, P., Garrard, W. and Wang, X.
- 197.** Expression, abundance, and RNA polymerase binding properties of the delta factor of *Bacillus subtilis*. *J Biol Chem* **274**, 15953-8. (1999). Lopez de Saro, F. J., Yoshikawa, N. and Helmann, J. D.
- 198.** In vitro study of two dominant inhibitory GTPase mutants of *Escherichia coli* translation initiation factor IF2. Direct evidence that GTP hydrolysis is necessary for factor recycling. *J Biol Chem* **274**, 6074-9. (1999). Luchin, S., Putzer, H., Hershey, J. W., Cenatiempo, Y., Grunberg-Manago, M. and Laalami, S.
- 199.** The GTPase activating factor for transducin in rod photoreceptors is the complex between RGS9 and type 5 G protein beta subunit. *Proc Natl Acad Sci U S A* **96**, 1947-52. (1999). Makino, E. R., Handy, J. W., Li, T. and Arshavsky, V. Y.
- 200.** Corepressor required for adenovirus E1B 55,000-molecular-weight protein repression of basal transcription. *Mol Cell Biol* **19**, 3403-14. (1999). Martin, M. E. and Berk, A. J.
- 201.** Autographa californica nuclear polyhedrosis virus DNA polymerase: measurements of processivity and strand displacement. *J Virol* **73**, 4908-18. (1999). McDougal, V. V. and Guarino, L. A.
- 202.** The essential functions of human Rad51 are independent of ATP hydrolysis. *Mol Cell Biol* **19**, 6891-7. (1999). Morrison, C., Shinohara, A., Sonoda, E., Yamaguchi-Iwai, Y., Takata, M., Weichselbaum, R. R. and Takeda, S.
- 203.** Nuclear import of sterol regulatory element-binding protein-2, a basic helix-loop-helix-leucine zipper (bHLH-Zip)-containing transcription factor, occurs through the direct interaction of importin beta with HLH-Zip. *Mol Biol Cell* **10**, 2221-33. (1999). Nagoshi, E., Imamoto, N., Sato, R. and Yoneda, Y.
- 204.** A relationship between protein kinase C phosphorylation and calmodulin binding to the metabotropic glutamate receptor subtype 7. *J Biol Chem* **274**, 27573-7. (1999). Nakajima, Y., Yamamoto, T., Nakayama, T. and Nakanishi, S.
- 205.** Functional changes in troponin T by a splice donor site mutation that causes hypertrophic cardiomyopathy. *Am J Physiol* **277**, C225-32. (1999). Nakaura, H., Morimoto, S., Yanaga, F., Nakata, M., Nishi, H., Imaizumi, T. and Ohtsuki, I.
- 206.** Enhancement through mutagenesis of the binding of the isolated kringle 2 domain of human plasminogen to omega-amino acid ligands and to an internal sequence of a Streptococcal surface protein. *J Biol Chem* **274**, 22380-6. (1999). Nilsen, S. L., Prorok, M. and Castellino, F. J.
- 207.** Conformational changes in the A3 domain of von Willebrand factor modulate the interaction of the A1 domain with platelet glycoprotein Ib. *Blood* **93**, 1959-68. (1999). Obert, B., Houllier, A., Meyer, D. and Girma, J. P.

- 208.** A cytotoxic ribonuclease targeting specific transfer RNA anticodons. *Science* **283**, 2097-100. (1999). Ogawa, T., Tomita, K., Ueda, T., Watanabe, K., Uozumi, T. and Masaki, H.
- 209.** A novel H2A/H4 nucleosomal histone acetyltransferase in *Tetrahymena thermophila*. *Mol Cell Biol* **19**, 2061-8. (1999). Ohba, R., Steger, D. J., Brownell, J. E., Mizzen, C. A., Cook, R. G., Cote, J., Workman, J. L. and Allis, C. D.
- 210.** A novel RNA polymerase II-containing complex potentiates Tat-enhanced HIV-1 transcription. *Embo J* **18**, 3688-701. (1999). Parada, C. A. and Roeder, R. G.
- 211.** Mono- and binuclear Zn²⁺-beta-lactamase. Role of the conserved cysteine in the catalytic mechanism. *J Biol Chem* **274**, 13242-9. (1999). Paul-Soto, R., Bauer, R., Frere, J. M., Galleni, M., Meyer-Klaucke, W., Nolting, H., Rossolini, G. M., de Seny, D., Hernandez-Valladares, M., Zepepeauer, M. and Adolph, H. W.
- 212.** Single strand DNA binding and annealing activities in the yeast recombination factor Rad59. *J Biol Chem* **274**, 33839-42. (1999). Petukhova, G., Stratton, S. A. and Sung, P.
- 213.** Mitotic effects of a constitutively active mutant of the *Xenopus* polo-like kinase Plx1. *Mol Cell Biol* **19**, 8625-32. (1999). Qian, Y. W., Erikson, E. and Maller, J. L.
- 214.** SsrA-mediated peptide tagging caused by rare codons and tRNA scarcity. *Embo J* **18**, 4579-89. (1999). Roche, E. D. and Sauer, R. T.
- 215.** A cyclin-dependent kinase inhibitor inducing cancer cell differentiation: biochemical identification using *Xenopus* egg extracts. *Proc Natl Acad Sci U S A* **96**, 4797-802. (1999). Rosania, G. R., Merlie, J., Jr., Gray, N., Chang, Y. T., Schultz, P. G. and Heald, R.
- 216.** A thermodynamic study of the 434-repressor N-terminal domain and of its covalently linked dimers. *Eur J Biochem* **263**, 246-53. (1999). Ruiz-Sanz, J., Simoncsits, A., Toro, I., Pongor, S., Mateo, P. L. and Filimonov, V. V.
- 217.** Purification of transcription cofactor complex CRSP. *Proc Natl Acad Sci U S A* **96**, 7137-42. (1999). Ryu, S. and Tjian, R.
- 218.** The solution structure of the Zalpha domain of the human RNA editing enzyme ADAR1 reveals a prepositioned binding surface for Z-DNA. *Proc Natl Acad Sci U S A* **96**, 12465-70. (1999). Schade, M., Turner, C. J., Kuhne, R., Schmieder, P., Lowenhaupt, K., Herbert, A., Rich, A. and Oschkinat, H.
- 219.** Structure-function analysis of the Z-DNA-binding domain Zalpha of dsRNA adenosine deaminase type I reveals similarity to the (alpha + beta) family of helix-turn-helix proteins. *Embo J* **18**, 470-9. (1999). Schade, M., Turner, C. J., Lowenhaupt, K., Rich, A. and Herbert, A.
- 220.** Direct membrane insertion of voltage-dependent anion-selective channel protein catalyzed by mitochondrial Tom20. *J Cell Biol* **145**, 973-8. (1999). Schleiff, E., Silvius, J. R. and Shore, G. C.
- 221.** Visual arrestin activity may be regulated by self-association. *J Biol Chem* **274**, 21186-90. (1999). Schubert, C., Hirsch, J. A., Gurevich, V. V., Engelman, D. M., Sigler, P. B. and Fleming, K. G.
- 222.** Proteolytic dissection of Zab, the Z-DNA-binding domain of human ADAR1. *J Biol Chem* **274**, 2899-906. (1999). Schwartz, T., Lowenhaupt, K., Kim, Y. G., Li, L., Brown, B. A., 2nd, Herbert, A. and Rich, A.
- 223.** Regulation of tissue plasminogen activator activity by cells. Domains responsible for binding and mechanism of stimulation. *J Biol Chem* **274**, 12414-22. (1999). Sinniger, V., Merton, R. E., Fabregas, P., Felez, J. and Longstaff, C.
- 224.** Unusual sites of arginine methylation in Poly(A)-binding protein II and in vitro methylation by protein arginine methyltransferases PRMT1 and PRMT3. *J Biol Chem* **274**, 13229-34. (1999). Smith, J. J., Rucknagel, K. P., Schierhorn, A., Tang, J., Nemeth, A., Linder, M., Herschman, H. R. and Wahle, E.
- 225.** Signal-induced ubiquitination of IkappaBalpha by the F-box protein Slimb/beta-TrCP. *Genes Dev* **13**, 284-94. (1999). Spencer, E., Jiang, J. and Chen, Z. J.
- 226.** A mutant form of vascular endothelial growth factor (VEGF) that lacks VEGF receptor-2 activation retains the ability to induce vascular permeability. *J Biol Chem* **274**, 34884-92. (1999). Stacker, S. A., Vitali, A., Caesar, C., Domagala, T., Groenen, L. C., Nice, E., Achen, M. G. and Wilks, A. F.
- 227.** Purification and characterization of a mitochondrial thymine glycol endonuclease from rat liver. *J Biol Chem* **274**, 7128-36. (1999). Stierum, R. H., Croteau, D. L. and Bohr, V. A.
- 228.** Eukaryotic precursor proteins are processed by *Escherichia coli* outer membrane protein OmpP. *Eur J Biochem* **262**, 832-9. (1999). Striebel, H. M. and Kalousek, F.

- 229.** High mobility group protein 1 interacts specifically with the core domain of human TATA box-binding protein and interferes with transcription factor IIB within the pre-initiation complex. *J Biol Chem* **274**, 1628-34. (1999). Sutrias-Grau, M., Bianchi, M. E. and Bernues, J.
- 230.** Poisoning of human DNA topoisomerase I by ecteinascidin 743, an anticancer drug that selectively alkylates DNA in the minor groove. *Proc Natl Acad Sci U S A* **96**, 7196-201. (1999). Takebayashi, Y., Pourquier, P., Yoshida, A., Kohlhagen, G. and Pommier, Y.
- 231.** Identification and characterization of endothelial glycoprotein Ib using viper venom proteins modulating cell adhesion. *Blood* **93**, 2605-16. (1999). Tan, L., Kowalska, M. A., Romo, G. M., Lopez, J. A., Darzynkiewicz, Z. and Niewiarowski, S.
- 232.** The bifunctional active site of s-adenosylmethionine synthetase. Roles of the active site aspartates. *J Biol Chem* **274**, 32909-14. (1999). Taylor, J. C. and Markham, G. D.
- 233.** Th1- and Th2-type cytokines regulate the expression and production of eotaxin and RANTES by human lung fibroblasts. *Am J Respir Cell Mol Biol* **20**, 777-86. (1999). Teran, L. M., Mochizuki, M., Bartels, J., Valencia, E. L., Nakajima, T., Hirai, K. and Schroder, J. M.
- 234.** The COOH terminus of aminoglycoside phosphotransferase (3')-IIa is critical for antibiotic recognition and resistance. *J Biol Chem* **274**, 30697-706. (1999). Thompson, P. R., Schwartzenhauer, J., Hughes, D. W., Berghuis, A. M. and Wright, G. D.
- 235.** IpaC induces actin polymerization and filopodia formation during Shigella entry into epithelial cells. *Embo J* **18**, 3249-62. (1999). Tran Van Nhieu, G., Caron, E., Hall, A. and Sansonetti, P. J.
- 236.** Purification, cloning, and characterization of the 16 S RNA m2G1207 methyltransferase from Escherichia coli. *J Biol Chem* **274**, 924-9. (1999). Tscherne, J. S., Nurse, K., Popienick, P. and Ofengand, J.
- 237.** Mode of action of chitin deacetylase from *Mucor rouxii* on N-acetylchitooligosaccharides. *Eur J Biochem* **261**, 698-705. (1999). Tsigos, I., Zydowicz, N., Martinou, A., Domard, A. and Bouriotis, V.
- 238.** Glycosaminoglycans differentially bind HARP and modulate its biological activity. *J Biol Chem* **274**, 7741-7. (1999). Vacherot, F., Delbe, J., Heroult, M., Barritault, D., Fernig, D. G. and Courty, J.
- 239.** Characterization and molecular cloning of the lectin from *Helianthus tuberosus*. *Eur J Biochem* **259**, 135-42. (1999). Van Damme, E. J., Barre, A., Mazard, A. M., Verhaert, P., Horman, A., Debray, H., Rouge, P. and Peumans, W. J.
- 240.** Sec34p, a protein required for vesicle tethering to the yeast Golgi apparatus, is in a complex with Sec35p. *J Cell Biol* **147**, 729-42. (1999). VanRheenen, S. M., Cao, X., Sapperstein, S. K., Chiang, E. C., Lupashin, V. V., Barlowe, C. and Waters, M. G.
- 241.** The essential transfer protein TraM binds to DNA as a tetramer. *J Biol Chem* **274**, 37421-8. (1999). Verdino, P., Keller, W., Strohmaier, H., Bischof, K., Lindner, H. and Koraimann, G.
- 242.** Generation of catalytically active granzyme K from Escherichia coli inclusion bodies and identification of efficient granzyme K inhibitors in human plasma. *J Biol Chem* **274**, 27331-7. (1999). Wilharm, E., Parry, M. A., Friebel, R., Tschesche, H., Matschiner, G., Sommerhoff, C. P. and Jenne, D. E.
- 243.** Organization and dynamics of the Mu transposome: recombination by communication between two active sites. *Genes Dev* **13**, 2725-37. (1999). Williams, T. L., Jackson, E. L., Carritte, A. and Baker, T. A.
- 244.** Demonstration of molecular interactions between the murein polymerase PBP1B, the lytic transglycosylase MltA, and the scaffolding protein MipA of Escherichia coli. *J Biol Chem* **274**, 6726-34. (1999). Vollmer, W., von Rechenberg, M. and Holtje, J. V.
- 245.** Isolation of the CXC chemokines ENA-78, GRO alpha and GRO gamma from tumor cells and leukocytes reveals NH2-terminal heterogeneity. Functional comparison of different natural isoforms. *Eur J Biochem* **260**, 421-9. (1999). Wuyts, A., Govaerts, C., Struyf, S., Lenaerts, J. P., Put, W., Conings, R., Proost, P. and Van Damme, J.
- 246.** Multiple functional proteins are produced by cleaving Asn-Gln bonds of a single precursor by vacuolar processing enzyme. *J Biol Chem* **274**, 2563-70. (1999). Yamada, K., Shimada, T., Kondo, M., Nishimura, M. and Hara-Nishimura, I.
- 247.** Xenopus cytosolic thyroid hormone-binding protein (xCTBP) is aldehyde dehydrogenase catalyzing the formation of retinoic acid. *J Biol Chem* **274**, 8460-9. (1999). Yamauchi, K., Nakajima, J., Hayashi, H., Horiuchi, R. and Tata, J. R.
- 248.** Identification of a putative effector protein for rab11 that participates in transferrin recycling. *Proc Natl Acad Sci U S A* **96**, 2840-5. (1999). Zeng, J., Ren, M., Gravotta, D., De Lemos-Chiarandini, C., Lui, M., Erdjument-Bromage, H., Tempst, P., Xu, G., Shen, T. H., Morimoto, T., Adesnik, M. and Sabatini, D. D.

- 249.** Analysis of the NuRD subunits reveals a histone deacetylase core complex and a connection with DNA methylation. *Genes Dev* **13**, 1924-35. (1999). Zhang, Y., Ng, H. H., Erdjument-Bromage, H., Tempst, P., Bird, A. and Reinberg, D.
- 250.** Sensitivity of Drosophila heat shock transcription factor to low pH. *J Biol Chem* **274**, 3135-40. (1999). Zhong, M., Kim, S. J. and Wu, C.
- 251.** Interaction of the Ras-related protein associated with diabetes rad and the putative tumor metastasis suppressor NM23 provides a novel mechanism of GTPase regulation. *Proc Natl Acad Sci U S A* **96**, 14911-8. (1999). Zhu, J., Tseng, Y. H., Kantor, J. D., Rhodes, C. J., Zetter, B. R., Moyers, J. S. and Kahn, C. R.
- 252.** Autoinducer binding by the quorum-sensing regulator TraR increases affinity for target promoters in vitro and decreases TraR turnover rates in whole cells. *Proc Natl Acad Sci U S A* **96**, 4832-7. (1999). Zhu, J. and Winans, S. C.
- 253.** PrKX is a novel catalytic subunit of the cAMP-dependent protein kinase regulated by the regulatory subunit type I. *J Biol Chem* **274**, 5370-8. (1999). Zimmermann, B., Chiorini, J. A., Ma, Y., Kotin, R. M. and Herberg, F. W.
- 254.** Nonsaturable binding indicates clustering of tau on the microtubule surface in a paired helical filament-like conformation. *J Biol Chem* **275**, 30335-43. (2000). Ackmann, M., Wiech, H. and Mandelkow, E.
- 255.** Structural and functional characterization of platelet receptor-mediated factor VIII binding. *J Biol Chem* **275**, 13071-81. (2000). Ahmad, S. S., Scandura, J. M. and Walsh, P. N.
- 256.** Functional analysis of the human CDC5L complex and identification of its components by mass spectrometry. *Embo J* **19**, 6569-81. (2000). Ajuh, P., Kuster, B., Panov, K., Zomerdijk, J. C., Mann, M. and Lamond, A. I.
- 257.** Identification of poly(ADP-ribose) polymerase as a transcriptional coactivator of the human T-cell leukemia virus type 1 Tax protein. *J Virol* **74**, 2169-77. (2000). Anderson, M. G., Scoggin, K. E., Simbulan-Rosenthal, C. M. and Steadman, J. A.
- 258.** A SNARE complex mediating fusion of late endosomes defines conserved properties of SNARE structure and function. *Embo J* **19**, 6453-64. (2000). Antonin, W., Holroyd, C., Fasshauer, D., Pabst, S., Von Mollard, G. F. and Jahn, R.
- 259.** Phosphorylation of collapsin response mediator protein-2 by Rho-kinase. Evidence for two separate signaling pathways for growth cone collapse. *J Biol Chem* **275**, 23973-80. (2000). Arimura, N., Inagaki, N., Chihara, K., Menager, C., Nakamura, N., Amano, M., Iwamatsu, A., Goshima, Y. and Kaibuchi, K.
- 260.** Effect of single mutations in the OGG1 gene found in human tumors on the substrate specificity of the Ogg1 protein. *Nucleic Acids Res* **28**, 2672-8. (2000). Audebert, M., Radicella, J. P. and Dizdaroglu, M.
- 261.** Characterization of the enzymatic properties of the yeast dna2 Helicase/endonuclease suggests a new model for Okazaki fragment processing. *J Biol Chem* **275**, 38022-31. (2000). Bae, S. H. and Seo, Y. S.
- 262.** Arginine-rich anti-vascular endothelial growth factor peptides inhibit tumor growth and metastasis by blocking angiogenesis. *J Biol Chem* **275**, 13588-96. (2000). Bae, D. G., Gho, Y. S., Yoon, W. H. and Chae, C. B.
- 263.** Proteomics of Mycoplasma genitalium: identification and characterization of unannotated and atypical proteins in a small model genome. *Nucleic Acids Res* **28**, 3075-82. (2000). Balasubramanian, S., Schneider, T., Gerstein, M. and Regan, L.
- 264.** Sequential strand exchange by XerC and XerD during site-specific recombination at dif. *J Biol Chem* **275**, 9930-6. (2000). Blakely, G. W., Davidson, A. O. and Sherratt, D. J.
- 265.** Characterization of Staphylococcus aureus cell wall glycan strands, evidence for a new beta-N-acetylglucosaminidase activity. *J Biol Chem* **275**, 9910-8. (2000). Boneca, I. G., Huang, Z. H., Gage, D. A. and Tomasz, A.
- 266.** Structural basis for recognition and repair of the endogenous mutagen 8-oxoguanine in DNA. *Nature* **403**, 859-66. (2000). Bruner, S. D., Norman, D. P. and Verdine, G. L.
- 267.** Structural requirements for ligand binding by a probable plant vacuolar sorting receptor. *Plant Cell* **12**, 493-506. (2000). Cao, X., Rogers, S. W., Butler, J., Beevers, L. and Rogers, J. C.
- 268.** The C-terminal domain-phosphorylated IIO form of RNA polymerase II is associated with the transcription repressor NC2 (Dr1/DRAP1) and is required for transcription activation in human nuclear extracts. *Proc Natl Acad Sci U S A* **97**, 7184-9. (2000). Castano, E., Gross, P., Wang, Z., Roeder, R. G. and Oelgeschlager, T.

- 269.** Regulation of Xenopus p21-activated kinase (X-PAK2) by Cdc42 and maturation-promoting factor controls Xenopus oocyte maturation. *J Biol Chem* **275**, 2367-75. (2000). Cau, J., Faure, S., Vigneron, S., Labbe, J. C., Delsert, C. and Morin, N.
- 270.** Interactions of the DNA ligase IV-XRCC4 complex with DNA ends and the DNA-dependent protein kinase. *J Biol Chem* **275**, 26196-205. (2000). Chen, L., Trujillo, K., Sung, P. and Tomkinson, A. E.
- 271.** Physical and functional interaction between the eukaryotic orthologs of prokaryotic translation initiation factors IF1 and IF2. *Mol Cell Biol* **20**, 7183-91. (2000). Choi, S. K., Olsen, D. S., Roll-Mecak, A., Martung, A., Remo, K. L., Burley, S. K., Hinnebusch, A. G. and Dever, T. E.
- 272.** High expression of the human hepatocarcinoma-intestine-pancreas/pancreatic-associated protein (HIP/PAP) gene in the mammary gland of lactating transgenic mice. Secretion into the milk and purification of the HIP/PAP lectin. *Eur J Biochem* **267**, 1665-71. (2000). Christa, L., Pauloin, A., Simon, M. T., Stinnakre, M. G., Fontaine, M. L., Delpal, S., Ollivier-Bousquet, M., Brechot, C. and Devinoy, E.
- 273.** Active and alkylated human AGT structures: a novel zinc site, inhibitor and extrahelical base binding. *Embo J* **19**, 1719-30. (2000). Daniels, D. S., Mol, C. D., Arvai, A. S., Kanugula, S., Pegg, A. E. and Tainer, J. A.
- 274.** Mapping of the 5'-2-deoxyribose-5-phosphate lyase active site in DNA polymerase beta by mass spectrometry. *J Biol Chem* **275**, 10463-71. (2000). Deterding, L. J., Prasad, R., Mullen, G. P., Wilson, S. H. and Tomer, K. B.
- 275.** Repair of oxidative DNA damage in *Drosophila melanogaster*: identification and characterization of dOgg1, a second DNA glycosylase activity for 8-hydroxyguanine and formamidopyrimidines. *Nucleic Acids Res* **28**, 4583-92. (2000). Dherin, C., Dizdaroglu, M., Doerflinger, H., Boiteux, S. and Radicella, J. P.
- 276.** Down-regulation of neutrophil functions by the ELR(+) CXC chemokine platelet basic protein. *Blood* **96**, 2965-72. (2000). Ehlert, J. E., Ludwig, A., Grimm, T. A., Lindner, B., Flad, H. D. and Brandt, E.
- 277.** In vitro properties of the conserved mammalian protein hnRNP D suggest a role in telomere maintenance. *Mol Cell Biol* **20**, 5425-32. (2000). Eversole, A. and Maizels, N.
- 278.** Association of yeast RNA polymerase I with a nucleolar substructure active in rRNA synthesis and processing. *J Cell Biol* **149**, 575-90. (2000). Fath, S., Milkereit, P., Podtelejnikov, A. V., Bischler, N., Schultz, P., Bier, M., Mann, M. and Tschochner, H.
- 279.** The AP-3 complex required for endosomal synaptic vesicle biogenesis is associated with a casein kinase Ialpha-like isoform. *Mol Biol Cell* **11**, 2591-604. (2000). Faundez, V. V. and Kelly, R. B.
- 280.** Ribonucleases expressed by human pancreatic adenocarcinoma cell lines. *Eur J Biochem* **267**, 1484-94. (2000). Fernandez-Salas, E., Peracaula, R., Frazier, M. L. and de Llorens, R.
- 281.** Control of bisecting GlcNAc addition to N-linked sugar chains. *J Biol Chem* **275**, 23456-61. (2000). Fukuta, K., Abe, R., Yokomatsu, T., Omae, F., Asanagi, M. and Makino, T.
- 282.** Immunocytochemical localization of lipocalin-type prostaglandin D synthase in the bull testis and epididymis and on ejaculated sperm. *Biol Reprod* **62**, 547-56. (2000). Gerena, R. L., Irikura, D., Eguchi, N., Urade, Y. and Killian, G. J.
- 283.** Separate domains in E1 and E2 proteins serve architectural and productive roles for cooperative DNA binding. *Embo J* **19**, 3069-79. (2000). Gillitzer, E., Chen, G. and Stenlund, A.
- 284.** Overproduction in *Escherichia coli* and characterization of yeast replication factor C lacking the ligase homology domain. *J Biol Chem* **275**, 14541-9. (2000). Gomes, X. V., Gary, S. L. and Burgers, P. M.
- 285.** The role of amino-acid residues in the hydrophobic patch surrounding the haem group of cytochrome f in the interaction with plastocyanin. *Eur J Biochem* **267**, 1732-42. (2000). Gong, X. S., Wen, J. Q. and Gray, J. C.
- 286.** A core SMRT corepressor complex containing HDAC3 and TBL1, a WD40-repeat protein linked to deafness. *Genes Dev* **14**, 1048-57. (2000). Guenther, M. G., Lane, W. S., Fischle, W., Verdin, E., Lazar, M. A. and Shiekhata, R.
- 287.** Multiple ISWI ATPase complexes from *xenopus laevis*. Functional conservation of an ACF/CHRAC homolog. *J Biol Chem* **275**, 35248-55. (2000). Guschin, D., Geiman, T. M., Kikyo, N., Tremethick, D. J., Wolffe, A. P. and Wade, P. A.

- 288.** Mucoïd *Pseudomonas aeruginosa*, TNF- α , and IL-1 β , but not IL-6, induce human beta-defensin-2 in respiratory epithelia. *Am J Respir Cell Mol Biol* **22**, 714-21. (2000). Harder, J., Meyer-Hoffert, U., Teran, L. M., Schwichtenberg, L., Bartels, J., Maune, S. and Schroder, J. M.
- 289.** Phosphorylation by cyclin-dependent protein kinase 5 of the regulatory subunit of retinal cGMP phosphodiesterase. II. Its role in the turnoff of phosphodiesterase in vivo. *J Biol Chem* **275**, 32958-65. (2000). Hayashi, F., Matsuura, I., Kachi, S., Maeda, T., Yamamoto, M., Fujii, Y., Liu, H., Yamazaki, M., Usukura, J. and Yamazaki, A.
- 290.** Activation by Cdc42 and PIP(2) of Wiskott-Aldrich syndrome protein (WASp) stimulates actin nucleation by Arp2/3 complex. *J Cell Biol* **150**, 1311-20. (2000). Higgs, H. N. and Pollard, T. D.
- 291.** Identification of CRAM, a novel unc-33 gene family protein that associates with CRMP3 and protein-tyrosine kinase(s) in the developing rat brain. *J Biol Chem* **275**, 27291-302. (2000). Inatome, R., Tsujimura, T., Hitomi, T., Mitsui, N., Hermann, P., Kuroda, S., Yamamura, H. and Yanagi, S.
- 292.** NMR studies on functional structures of the AU-rich element-binding domains of Hu antigen C. *Nucleic Acids Res* **28**, 1743-50. (2000). Inoue, M., Muto, Y., Sakamoto, H. and Yokoyama, S.
- 293.** Expression of human topoisomerase I with a partial deletion of the linker region yields monomeric and dimeric enzymes that respond differently to camptothecin. *J Biol Chem* **275**, 25820-30. (2000). Ireton, G. C., Stewart, L., Parker, L. H. and Champoux, J. J.
- 294.** *Xenopus cdc7* function is dependent on licensing but not on XORC, XCdc6, or CDK activity and is required for XCdc45 loading. *Genes Dev* **14**, 1528-40. (2000). Jares, P. and Blow, J. J.
- 295.** Microtubule-associated protein 1B is a component of cortical Lewy bodies and binds alpha-synuclein filaments. *J Biol Chem* **275**, 21500-7. (2000). Jensen, P. H., Islam, K., Kenney, J., Nielsen, M. S., Power, J. and Gai, W. P.
- 296.** Crystal structure of the functional domain of the splicing factor Prp18. *Proc Natl Acad Sci U S A* **97**, 3022-7. (2000). Jiang, J., Horowitz, D. S. and Xu, R. M.
- 297.** The something about silencing protein, Sas3, is the catalytic subunit of NuA3, a γ TAF(II)30-containing HAT complex that interacts with the Spt16 subunit of the yeast CP (Cdc68/Pob3)-FACT complex. *Genes Dev* **14**, 1196-208. (2000). John, S., Howe, L., Tafrov, S. T., Grant, P. A., Sternglanz, R. and Workman, J. L.
- 298.** Modulation of the catalytic activity of the Src family tyrosine kinase Hck by autophosphorylation at a novel site in the unique domain. *J Biol Chem* **275**, 33353-64. (2000). Johnson, T. M., Williamson, N. A., Scholz, G., Jaworowski, A., Wettenhall, R. E., Dunn, A. R. and Cheng, H. C.
- 299.** The *Drosophila* brahma complex is an essential coactivator for the trithorax group protein zeste. *Genes Dev* **14**, 1058-71. (2000). Kal, A. J., Mahmoudi, T., Zak, N. B. and Verrijzer, C. P.
- 300.** The transport/phosphorylation of N,N'-diacetylchitobiose in *Escherichia coli*. Characterization of phospho-IIB(Chb) and of a potential transition state analogue in the phosphotransfer reaction between the proteins IIA(Chb) AND IIB(Chb). *J Biol Chem* **275**, 33102-9. (2000). Keyhani, N. O., Bacia, K. and Roseman, S.
- 301.** Characterization of the yeast Cdc7p/Dbf4p complex purified from insect cells. Its protein kinase activity is regulated by Rad53p. *J Biol Chem* **275**, 35051-62. (2000). Kihara, M., Nakai, W., Asano, S., Suzuki, A., Kitada, K., Kawasaki, Y., Johnston, L. H. and Sugino, A.
- 302.** SAF-Box, a conserved protein domain that specifically recognizes scaffold attachment region DNA. *Mol Cell Biol* **20**, 7480-9. (2000). Kipp, M., Gohring, F., Ostendorp, T., van Drunen, C. M., van Driel, R., Przybylski, M. and Fackelmayer, F. O.
- 303.** Fourteen residues of the U1 snRNP-specific U1A protein are required for homodimerization, cooperative RNA binding, and inhibition of polyadenylation. *Mol Cell Biol* **20**, 2209-17. (2000). Klein Gunnewiek, J. M., Hussein, R. I., van Aarssen, Y., Palacios, D., de Jong, R., van Venrooij, W. J. and Gunderson, S. I.
- 304.** Conformational stability is a determinant of ribonuclease A cytotoxicity. *J Biol Chem* **275**, 17463-7. (2000). Klink, T. A. and Raines, R. T.
- 305.** Both RadA and RadB are involved in homologous recombination in *Pyrococcus furiosus*. *J Biol Chem* **275**, 33782-90. (2000). Komori, K., Miyata, T., DiRuggiero, J., Holley-Shanks, R., Hayashi, I., Cann, I. K., Mayanagi, K., Shinagawa, H. and Ishino, Y.
- 306.** Domain analysis of an archaeal RadA protein for the strand exchange activity. *J Biol Chem* **275**, 33791-7. (2000). Komori, K., Miyata, T., Daiyasu, H., Toh, H., Shinagawa, H. and Ishino, Y.
- 307.** Elongin from *Saccharomyces cerevisiae*. *J Biol Chem* **275**, 11174-80. (2000). Koth, C. M., Botuyan, M. V., Moreland, R. J., Jansma, D. B., Conaway, J. W., Conaway, R. C., Chazin, W. J., Friesen, J. D., Arrowsmith, C. H. and Edwards, A. M.

- 308.** Conformational lability of herpesvirus protein VP22. *J Biol Chem* **275**, 33213-21. (2000). Kueltoz, L. A., Normand, N., O'Hare, P. and Middaugh, C. R.
- 309.** Repair of an interstrand DNA cross-link initiated by ERCC1-XPF repair/recombination nuclease. *J Biol Chem* **275**, 26632-6. (2000). Kuraoka, I., Kobertz, W. R., Ariza, R. R., Biggerstaff, M., Essigmann, J. M. and Wood, R. D.
- 310.** Aut7p, a soluble autophagic factor, participates in multiple membrane trafficking processes. *J Biol Chem* **275**, 32966-73. (2000). Legesse-Miller, A., Sagiv, Y., Glzman, R. and Elazar, Z.
- 311.** Retroviral cDNA integration: stimulation by HMG I family proteins. *J Virol* **74**, 10965-74. (2000). Li, L., Yoder, K., Hansen, M. S., Olvera, J., Miller, M. D. and Bushman, F. D.
- 312.** Purification and cloning of cytotoxic ribonucleases from *Rana catesbeiana* (bullfrog). *Nucleic Acids Res* **28**, 4097-104. (2000). Liao, Y. D., Huang, H. C., Leu, Y. J., Wei, C. W., Tang, P. C. and Wang, S. C.
- 313.** Involvement of hepatocyte growth factor/scatter factor and met receptor signaling in hair follicle morphogenesis and cycling. *Faseb J* **14**, 319-32. (2000). Lindner, G., Menrad, A., Gherardi, E., Merlino, G., Welker, P., Handjiski, B., Roloff, B. and Paus, R.
- 314.** Heat shock protein HSP101 binds to the Fed-1 internal light regulator γ element and mediates its high translational activity. *Plant Cell* **12**, 1213-27. (2000). Ling, J., Wells, D. R., Tanguay, R. L., Dickey, L. F., Thompson, W. F. and Gallie, D. R.
- 315.** Identification of a fourth subunit of mammalian DNA polymerase delta. *J Biol Chem* **275**, 18739-44. (2000). Liu, L., Mo, J., Rodriguez-Belmonte, E. M. and Lee, M. Y.
- 316.** The antiactivator TraM interferes with the autoinducer-dependent binding of TraR to DNA by interacting with the C-terminal region of the quorum-sensing activator. *J Biol Chem* **275**, 7713-22. (2000). Luo, Z. Q., Qin, Y. and Farrand, S. K.
- 317.** Crystal structure of enteropathogenic *Escherichia coli* intimin-receptor complex. *Nature* **405**, 1073-7. (2000). Luo, Y., Frey, E. A., Pfuetzner, R. A., Creagh, A. L., Knoechel, D. G., Haynes, C. A., Finlay, B. B. and Strynadka, N. C.
- 318.** Mechanisms of accurate translesion synthesis by human DNA polymerase ϵ . *Embo J* **19**, 3100-9. (2000). Masutani, C., Kusumoto, R., Iwai, S. and Hanaoka, F.
- 319.** Phosphorylation by cyclin-dependent protein kinase 5 of the regulatory subunit of retinal cGMP phosphodiesterase. I. Identification of the kinase and its role in the turnoff of phosphodiesterase in vitro. *J Biol Chem* **275**, 32950-7. (2000). Matsuura, I., Bondarenko, V. A., Maeda, T., Kachi, S., Yamazaki, M., Usukura, J., Hayashi, F. and Yamazaki, A.
- 320.** Thermodynamic and functional characterization of protein W from bacteriophage lambda. The three C-terminal residues are critical for activity. *J Biol Chem* **275**, 18879-86. (2000). Maxwell, K. L., Davidson, A. R., Murialdo, H. and Gold, M.
- 321.** Purification of proctolin-binding proteins from the foregut of the insect *Blaberus craniifer*. *Eur J Biochem* **267**, 2252-9. (2000). Mazzocco, C. and Puiroux, J.
- 322.** The *Autographa californica* nuclear polyhedrosis virus p143 gene encodes a DNA helicase. *J Virol* **74**, 5273-9. (2000). McDougal, V. V. and Guarino, L. A.
- 323.** Accumulation of adenine DNA glycosylase-sensitive sites in human mitochondrial DNA. *J Biol Chem* **275**, 12326-30. (2000). Miyako, K., Takamatsu, C., Umeda, S., Tajiri, T., Furuichi, M., Nakabeppu, Y., Sekiguchi, M., Hamasaki, N., Takeshige, K. and Kang, D.
- 324.** A highly ordered structure in V(D)J recombination cleavage complexes is facilitated by HMG1. *Nucleic Acids Res* **28**, 1228-36. (2000). Mo, X., Bailin, T., Noggle, S. and Sadofsky, M. J.
- 325.** Disruption of nuclear lamin organization blocks the elongation phase of DNA replication. *J Cell Biol* **149**, 1179-92. (2000). Moir, R. D., Spann, T. P., Herrmann, H. and Goldman, R. D.
- 326.** The yeast STM1 gene encodes a purine motif triple helical DNA-binding protein. *J Biol Chem* **275**, 5573-81. (2000). Nelson, L. D., Musso, M. and Van Dyke, M. W.
- 327.** Suppressor of cytokine signaling-3 preferentially binds to the SHP-2-binding site on the shared cytokine receptor subunit gp130. *Proc Natl Acad Sci U S A* **97**, 6493-8. (2000). Nicholson, S. E., De Souza, D., Fabri, L. J., Corbin, J., Willson, T. A., Zhang, J. G., Silva, A., Asimakis, M., Farley, A., Nash, A. D., Metcalf, D., Hilton, D. J., Nicola, N. A. and Baca, M.
- 328.** Selective interaction of complexin with the neuronal SNARE complex. Determination of the binding regions. *J Biol Chem* **275**, 19808-18. (2000). Pabst, S., Hazzard, J. W., Antonin, W., Sudhof, T. C., Jahn, R., Rizo, J. and Fasshauer, D.

- 329.** In vitro studies on the maintenance of transcription-induced stress by histones and polyamines. *J Biol Chem* **275**, 657-68. (2000). Peng, H. F. and Jackson, V.
- 330.** Intracellular distribution of mammalian protein kinase A catalytic subunit altered by conserved Asn2 deamidation. *J Cell Biol* **148**, 715-26. (2000). Pepperkok, R., Hotz-Wagenblatt, A., Konig, N., Girod, A., Bossemeyer, D. and Kinzel, V.
- 331.** Promotion of Rad51-dependent D-loop formation by yeast recombination factor Rdh54/Tid1. *Genes Dev* **14**, 2206-15. (2000). Petukhova, G., Sung, P. and Klein, H.
- 332.** Spb1p is a yeast nucleolar protein associated with Nop1p and Nop58p that is able to bind S-adenosyl-L-methionine in vitro. *Mol Cell Biol* **20**, 1370-81. (2000). Pintard, L., Kressler, D. and Lapeyre, B.
- 333.** A 56-kDa selenium-binding protein participates in intra-Golgi protein transport. *J Biol Chem* **275**, 14457-65. (2000). Porat, A., Sagiv, Y. and Elazar, Z.
- 334.** A novel assembly mechanism for the DNA polymerase III holoenzyme DnaX complex: association of $\Delta\Delta$ with DnaX(4) forms DnaX(3) $\Delta\Delta$. *Embo J* **19**, 6536-45. (2000). Pritchard, A. E., Dallmann, H. G., Glover, B. P. and McHenry, C. S.
- 335.** Cleavage by CD26/dipeptidyl peptidase IV converts the chemokine LD78beta into a most efficient monocyte attractant and CCR1 agonist. *Blood* **96**, 1674-80. (2000). Proost, P., Menten, P., Struyf, S., Schutyser, E., De Meester, I. and Van Damme, J.
- 336.** BMS-232632, a highly potent human immunodeficiency virus protease inhibitor that can be used in combination with other available antiretroviral agents. *Antimicrob Agents Chemother* **44**, 2093-9. (2000). Robinson, B. S., Riccardi, K. A., Gong, Y. F., Guo, Q., Stock, D. A., Blair, W. S., Terry, B. J., Deminie, C. A., Djang, F., Colonno, R. J. and Lin, P. F.
- 337.** Interaction of Xenopus Cdc2 x cyclin A1 with the origin recognition complex. *J Biol Chem* **275**, 4239-43. (2000). Romanowski, P., Marr, J., Madine, M. A., Rowles, A., Blow, J. J., Gautier, J. and Laskey, R. A.
- 338.** The Bacillus subtilis HBSu protein modifies the effects of alpha/beta-type, small acid-soluble spore proteins on DNA. *J Bacteriol* **182**, 1942-8. (2000). Ross, M. A. and Setlow, P.
- 339.** NMR investigation of ferricytochrome c unfolding: detection of an equilibrium unfolding intermediate and residual structure in the denatured state. *Proc Natl Acad Sci U S A* **97**, 8312-7. (2000). Russell, B. S., Melenkivitz, R. and Bren, K. L.
- 340.** GATE-16, a membrane transport modulator, interacts with NSF and the Golgi v-SNARE GOS-28. *Embo J* **19**, 1494-504. (2000). Sagiv, Y., Legesse-Miller, A., Porat, A. and Elazar, Z.
- 341.** Specific chaperone-like activity of inhibitor of caspase-activated DNase for caspase-activated DNase. *J Biol Chem* **275**, 8091-6. (2000). Sakahira, H., Iwamatsu, A. and Nagata, S.
- 342.** Cysteine 111 affects coupling of single-stranded DNA binding to ATP hydrolysis in the herpes simplex virus type-1 origin-binding protein. *J Biol Chem* **275**, 2931-7. (2000). Sampson, D. A., Arana, M. E. and Boehmer, P. E.
- 343.** Identification of two novel TAF subunits of the yeast Saccharomyces cerevisiae TFIID complex. *J Biol Chem* **275**, 13895-900. (2000). Sanders, S. L. and Weil, P. A.
- 344.** Uracil-DNA glycosylase in the extreme thermophile Archaeoglobus fulgidus. *J Biol Chem* **275**, 19146-9. (2000). Sandigursky, M. and Franklin, W. A.
- 345.** Purification and characterization of a cytotoxic protein expressed in vitro by the live cholera vaccine candidate CVD 103-HgR. *Infect Immun* **68**, 6062-5. (2000). Sathyamoorthy, V., Hall, R. H., McCardell, B. A., Kothary, M. H., Ahn, S. J. and Ratnayake, S.
- 346.** tau kinases in the rat heat shock model: possible implications for Alzheimer disease. *Proc Natl Acad Sci U S A* **97**, 14139-44. (2000). Shanavas, A. and Papasozomenos, S. C.
- 347.** Role of the N-terminal proline residue in the catalytic activities of the Escherichia coli Fpg protein. *J Biol Chem* **275**, 9924-9. (2000). Sidorkina, O. M. and Laval, J.
- 348.** Conserved surface-exposed K/R-X-K/R motifs and net positive charge on poxvirus complement control proteins serve as putative heparin binding sites and contribute to inhibition of molecular interactions with human endothelial cells: a novel mechanism for evasion of host defense. *J Virol* **74**, 5659-66. (2000). Smith, S. A., Mullin, N. P., Parkinson, J., Shchelkunov, S. N., Totmenin, A. V., Loparev, V. N., Srisatjaluk, R., Reynolds, D. N., Keeling, K. L., Justus, D. E., Barlow, P. N. and Kotwal, G. J.
- 349.** Nup2p, a yeast nucleoporin, functions in bidirectional transport of importin alpha. *Mol Cell Biol* **20**, 8468-79. (2000). Solsbacher, J., Maurer, P., Vogel, F. and Schlenstedt, G.
- 350.** Functional interactions among yeast Rad51 recombinase, Rad52 mediator, and replication protein A in DNA strand exchange. *J Biol Chem* **275**, 15895-904. (2000). Song, B. and Sung, P.

- 351.** Structural basis of the Axin-adenomatous polyposis coli interaction. *Embo J* **19**, 2270-9. (2000). Spink, K. E., Polakis, P. and Weis, W. I.
- 352.** One polypeptide with two aminoacyl-tRNA synthetase activities. *Science* **287**, 479-82. (2000). Stathopoulos, C., Li, T., Longman, R., Vothknecht, U. C., Becker, H. D., Ibba, M. and Soll, D.
- 353.** Identification of the pore-forming region of the outer chloroplast envelope protein OEP16. *J Biol Chem* **275**, 11758-64. (2000). Steinkamp, T., Hill, K., Hinnah, S. C., Wagner, R., Rohl, T., Pohlmeier, K. and Soll, J.
- 354.** Binding of the Mex67p/Mtr2p heterodimer to FXFG, GLFG, and FG repeat nucleoporins is essential for nuclear mRNA export. *J Cell Biol* **150**, 695-706. (2000). Strasser, K., Bassler, J. and Hurt, E.
- 355.** A role of basic residues and the putative intercalating phenylalanine of the HMG-1 box B in DNA supercoiling and binding to four-way DNA junctions. *J Biol Chem* **275**, 35699-707. (2000). Stros, M. and Muselikova, E.
- 356.** HMG1 protein stimulates DNA end joining by promoting association of DNA molecules via their ends. *Eur J Biochem* **267**, 4088-97. (2000). Stros, M., Cherny, D. and Jovin, T. M.
- 357.** Complex protein interactions within the human polyadenylation machinery identify a novel component. *Mol Cell Biol* **20**, 1515-25. (2000). Takagaki, Y. and Manley, J. L.
- 358.** Analysis of fission yeast primase defines the checkpoint responses to aberrant S phase initiation. *Mol Cell Biol* **20**, 7853-66. (2000). Tan, S. and Wang, T. S.
- 359.** Bile salt hydrolase of *Bifidobacterium longum*-biochemical and genetic characterization. *Appl Environ Microbiol* **66**, 2502-12. (2000). Tanaka, H., Hashiba, H., Kok, J. and Mierau, I.
- 360.** *Bacillus subtilis* YvrK is an acid-induced oxalate decarboxylase. *J Bacteriol* **182**, 5271-3. (2000). Tanner, A. and Bornemann, S.
- 361.** Collagen XVII is destabilized by a glycine substitution mutation in the cell adhesion domain Col15. *J Biol Chem* **275**, 3093-9. (2000). Tasanen, K., Eble, J. A., Aumailley, M., Schumann, H., Baetge, J., Tu, H., Bruckner, P. and Bruckner-Tuderman, L.
- 362.** An 'environment to nucleus' signaling system operates in B lymphocytes: redox status modulates BSAP/Pax-5 activation through Ref-1 nuclear translocation. *Nucleic Acids Res* **28**, 1099-105. (2000). Tell, G., Zecca, A., Pellizzari, L., Spessotto, P., Colombatti, A., Kelley, M. R., Damante, G. and Pucillo, C.
- 363.** Trans-sialidase from *Trypanosoma cruzi* catalyzes sialoside hydrolysis with retention of configuration. *Glycobiology* **10**, 213-21. (2000). Todeschini, A. R., Mendonca-Previato, L., Previato, J. O., Varki, A. and van Halbeek, H.
- 364.** Biochemical characterization of a hepatitis C virus RNA-dependent RNA polymerase mutant lacking the C-terminal hydrophobic sequence. *J Gen Virol* **81**, 759-67. (2000). Tomei, L., Vitale, R. L., Incitti, I., Serafini, S., Altamura, S., Vitelli, A. and De Francesco, R.
- 365.** A cytotoxic ribonuclease which specifically cleaves four isoaccepting arginine tRNAs at their anticodon loops. *Proc Natl Acad Sci U S A* **97**, 8278-83. (2000). Tomita, K., Ogawa, T., Uozumi, T., Watanabe, K. and Masaki, H.
- 366.** Late events of translation initiation in bacteria: a kinetic analysis. *Embo J* **19**, 2127-36. (2000). Tomsic, J., Vitali, L. A., Daviter, T., Savelsbergh, A., Spurio, R., Striebeck, P., Wintermeyer, W., Rodnina, M. V. and Gualerzi, C. O.
- 367.** Examining thrombin hydrolysis of the factor XIII activation peptide segment leads to a proposal for explaining the cardioprotective effects observed with the factor XIII V34L mutation. *J Biol Chem* **275**, 20627-31. (2000). Trumbo, T. A. and Maurer, M. C.
- 368.** Purification, cloning and sequence analyses for pro-metalloprotease-disintegrin variants from *Deinagkistrodon acutus* venom and subclassification of the small venom metalloproteases. *Eur J Biochem* **267**, 1359-67. (2000). Tsai, I. H., Wang, Y. M., Chiang, T. Y., Chen, Y. L. and Huang, R. J.
- 369.** ABC50 interacts with eukaryotic initiation factor 2 and associates with the ribosome in an ATP-dependent manner. *J Biol Chem* **275**, 34131-9. (2000). Tyzack, J. K., Wang, X., Belsham, G. J. and Proud, C. G.
- 370.** The human papillomavirus (HPV) 16 E2 protein induces apoptosis in the absence of other HPV proteins and via a p53-dependent pathway. *J Biol Chem* **275**, 87-94. (2000). Webster, K., Parish, J., Pandya, M., Stern, P. L., Clarke, A. R. and Gaston, K.
- 371.** Structure and assembly of the Alu domain of the mammalian signal recognition particle. *Nature* **408**, 167-73. (2000). Weichenrieder, O., Wild, K., Strub, K. and Cusack, S.
- 372.** Pet toxin from enteroaggregative *Escherichia coli* produces cellular damage associated with fodrin disruption. *Infect Immun* **68**, 5920-7. (2000). Villaseca, J. M., Navarro-Garcia, F., Mendoza-Hernandez, G., Nataro, J. P., Cravioto, A. and Eslava, C.

- 373.** The *Saccharomyces cerevisiae* RNA-binding protein Rbp29 functions in cytoplasmic mRNA metabolism. *J Biol Chem* **275**, 21817-26. (2000). Winstall, E., Sadowski, M., Kuhn, U., Wahle, E. and Sachs, A. B.
- 374.** Assembly of tau protein into Alzheimer paired helical filaments depends on a local sequence motif ((306)VQIVYK(311)) forming beta structure. *Proc Natl Acad Sci U S A* **97**, 5129-34. (2000). von Bergen, M., Friedhoff, P., Biernat, J., Heberle, J., Mandelkow, E. M. and Mandelkow, E.
- 375.** The binding of a glycoprotein 120 V3 loop peptide to HIV-1 neutralizing antibodies. Structural implications. *J Biol Chem* **275**, 36645-52. (2000). Wu, G., MacKenzie, R., Durda, P. J. and Tsang, P.
- 376.** The human RAD18 gene product interacts with HHR6A and HHR6B. *Nucleic Acids Res* **28**, 2847-54. (2000). Xin, H., Lin, W., Sumanasekera, W., Zhang, Y., Wu, X. and Wang, Z.
- 377.** Identification of type II restriction and modification systems in *Helicobacter pylori* reveals their substantial diversity among strains. *Proc Natl Acad Sci U S A* **97**, 9671-6. (2000). Xu, Q., Morgan, R. D., Roberts, R. J. and Blaser, M. J.
- 378.** Purification, characterization and amino-acid sequence analysis of a thermostable, low molecular mass endo-beta-1,4-glucanase from blue mussel, *Mytilus edulis*. *Eur J Biochem* **267**, 4970-7. (2000). Xu, B., Hellman, U., Ersson, B. and Janson, J. C.
- 379.** Mutational analysis of the primary substrate specificity pocket of complement factor B. Asp(226) is a major structural determinant for p(1)-Arg binding. *J Biol Chem* **275**, 378-85. (2000). Xu, Y., Circolo, A., Jing, H., Wang, Y., Narayana, S. V. and Volanakis, J. E.
- 380.** Complementation of defective translesion synthesis and UV light sensitivity in xeroderma pigmentosum variant cells by human and mouse DNA polymerase eta. *Nucleic Acids Res* **28**, 2473-80. (2000). Yamada, A., Masutani, C., Iwai, S. and Hanaoka, F.
- 381.** Repair of gaps in retroviral DNA integration intermediates. *J Virol* **74**, 11191-200. (2000). Yoder, K. E. and Bushman, F. D.
- 382.** Characterization and tRNA recognition of mammalian mitochondrial seryl-tRNA synthetase. *J Biol Chem* **275**, 19913-20. (2000). Yokogawa, T., Shimada, N., Takeuchi, N., Benkowski, L., Suzuki, T., Omori, A., Ueda, T., Nishikawa, K., Spemulli, L. L. and Watanabe, K.
- 383.** Identification of amino acid sequences in fibrinogen gamma -chain and tenascin C C-terminal domains critical for binding to integrin alpha vbeta 3. *J Biol Chem* **275**, 16891-8. (2000). Yokoyama, K., Erickson, H. P., Ikeda, Y. and Takada, Y.
- 384.** Specificity of DNA lesion bypass by the yeast DNA polymerase eta. *J Biol Chem* **275**, 8233-9. (2000). Yuan, F., Zhang, Y., Rajpal, D. K., Wu, X., Guo, D., Wang, M., Taylor, J. S. and Wang, Z.
- 385.** Identification of a *Haemophilus influenzae* 5'-nucleotidase protein: cloning of the nucA gene and immunogenicity and characterization of the NucA protein. *Infect Immun* **68**, 2525-34. (2000). Zagursky, R. J., Ooi, P., Jones, K. F., Fiske, M. J., Smith, R. P. and Green, B. A.
- 386.** Identification of repair enzymes for 5-formyluracil in DNA. Nth, Nei, and MutM proteins of *Escherichia coli*. *J Biol Chem* **275**, 35471-7. (2000). Zhang, Q. M., Miyabe, I., Matsumoto, Y., Kino, K., Sugiyama, H. and Yonei, S.
- 387.** Error-free and error-prone lesion bypass by human DNA polymerase kappa in vitro. *Nucleic Acids Res* **28**, 4138-46. (2000). Zhang, Y., Yuan, F., Wu, X., Wang, M., Rechkoblit, O., Taylor, J. S., Geacintov, N. E. and Wang, Z.
- 388.** Preferential incorporation of G opposite template T by the low-fidelity human DNA polymerase iota. *Mol Cell Biol* **20**, 7099-108. (2000). Zhang, Y., Yuan, F., Wu, X. and Wang, Z.
- 389.** Error-prone lesion bypass by human DNA polymerase eta. *Nucleic Acids Res* **28**, 4717-24. (2000). Zhang, Y., Yuan, F., Wu, X., Rechkoblit, O., Taylor, J. S., Geacintov, N. E. and Wang, Z.
- 390.** Human DNA polymerase kappa synthesizes DNA with extraordinarily low fidelity. *Nucleic Acids Res* **28**, 4147-56. (2000). Zhang, Y., Yuan, F., Xin, H., Wu, X., Rajpal, D. K., Yang, D. and Wang, Z.
- 391.** Substrate specificity and reaction mechanism of murine 8-oxoguanine-DNA glycosylase. *J Biol Chem* **275**, 28607-17. (2000). Zharkov, D. O., Rosenquist, T. A., Gerchman, S. E. and Grollman, A. P.
- 392.** A novel human tocopherol-associated protein: cloning, in vitro expression, and characterization. *J Biol Chem* **275**, 25672-80. (2000). Zimmer, S., Stocker, A., Sarbolouki, M. N., Spycher, S. E., Sassoon, J. and Azzi, A.

- 393.** Structure of the Rad50{middle dot}Mre11 DNA Repair Complex from *Saccharomyces cerevisiae* by Electron Microscopy. *J. Biol. Chem.* **276**, 37027-37033 (2001). Anderson, D. E., Trujillo, K. M., Sung, P. and Erickson, H. P.
- 394.** Purification and properties of a proteinaceous toxin from the brackishwater clam (*Corbicula japonica*). *Toxicon* **39**, 1061-7. (2001). Arita, J., Takemura, K., Nagashima, Y. and Shiomi, K.
- 395.** Proteolytic degradation of ribonuclease A in the pretransition region of thermally and urea-induced unfolding. *Eur J Biochem* **268**, 93-7. (2001). Arnold, U. and Ulbrich-Hofmann, R.
- 396.** Expression and regulation of the mammalian SUMO-1 E1 enzyme. *Faseb J* **15**, 1825-7. (2001). Azuma, Y., Tan, S. H., Cavenagh, M. M., Ainsztein, A. M., Saitoh, H. and Dasso, M.
- 397.** Factor IXa:Factor VIIIa Interaction. HELIX 330-338 OF FACTOR IXa INTERACTS WITH RESIDUES 558-565 AND SPATIALLY ADJACENT REGIONS OF THE A2 SUBUNIT OF FACTOR VIIIa. *J. Biol. Chem.* **276**, 16302-16438 (2001). Bajaj, S. P., Schmidt, A. E., Mathur, A., Padmanabhan, K., Zhong, D., Mastro, M. and Fay, P. J.
- 398.** Galactose-extended glycans of antibodies produced by transgenic plants. *Proc Natl Acad Sci U S A* **98**, 2899-904. (2001). Bakker, H., Bardor, M., Molthoff, J. W., Gomord, V., Elbers, I., Stevens, L. H., Jordi, W., Lommen, A., Faye, L., Lerouge, P. and Bosch, D.
- 399.** Fluorescence-based Analyses of the Effects of Full-length Recombinant TAF130p on the Interaction of TATA Box-binding Protein with TATA Box DNA. *J. Biol. Chem.* **276**, 49100-18065 (2001). Banik, U., Beechem, J. M., Klebanow, E., Schroeder, S. and Weil, P. A.
- 400.** Receptor Binding Transforms the Surface Subunit of the Mammalian C-Type Retrovirus Envelope Protein from an Inhibitor to an Activator of Fusion. *J. Virol.* **75**, 9096-12307 (2001). Barnett, A. L. and Cunningham, J. M.
- 401.** A Histidine-rich Metal Binding Domain at the N Terminus of Cu,Zn-Superoxide Dismutases from Pathogenic Bacteria. A NOVEL STRATEGY FOR METAL CHAPERONING. *J. Biol. Chem.* **276**, 30315-37973 (2001). Battistoni, A., Pacello, F., Mazzetti, A. P., Capo, C., Kroll, J. S., Langford, P. R., Sansone, A., Donnarumma, G., Valenti, P. and Rotilio, G.
- 402.** Rat Seminal Vesicle FAD-dependent Sulfhydryl Oxidase. BIOCHEMICAL CHARACTERIZATION AND MOLECULAR CLONING OF A MEMBER OF THE NEW SULFHYDRYL OXIDASE/QUIESCIN Q6 GENE FAMILY. *J. Biol. Chem.* **276**, 13830-16438 (2001). Benayoun, B., Esnard-Feve, A., Castella, S., Courty, Y. and Esnard, F.
- 403.** The Lysine-rich C-terminal Tail of Heparin Affin Regulatory Peptide Is Required for Mitogenic and Tumor Formation Activities. *J. Biol. Chem.* **276**, 12228-12234 (2001). Bernard-Pierrot, I., Delbe, J., Caruelle, D., Barritault, D., Courty, J. and Milhiet, P. E.
- 404.** Differential Binding Regulation of Microtubule-associated Proteins MAP1A, MAP1B, and MAP2 by Tubulin Polyglutamylation. *J. Biol. Chem.* **276**, 12839-16438 (2001). Bonnet, C., Boucher, D., Lazereg, S., Pedrotti, B., Islam, K., Denoulet, P. and Larcher, J. C.
- 405.** Definitive Identification of Mammalian 5-Hydroxymethyluracil DNA N-Glycosylase Activity as SMUG1. *J. Biol. Chem.* **276**, 41991-47555 (2001). Boorstein, R. J., Cummings, A., Jr., Marenstein, D. R., Chan, M. K., Ma, Y., Neubert, T. A., Brown, S. M. and Teebor, G. W.
- 406.** Effects of protein stability and structure on substrate processing by the ClpXP unfolding and degradation machine. *Embo J* **20**, 3092-100. (2001). Burton, R. E., Siddiqui, S. M., Kim, Y. I., Baker, T. A. and Sauer, R. T.
- 407.** Differential Binding of cAMP-dependent Protein Kinase Regulatory Subunit Isoforms Ialpha and Ibeta to the Catalytic Subunit. *J. Biol. Chem.* **276**, 4102-9315 (2001). Cheng, X., Phelps, C. and Taylor, S. S.
- 408.** Cation-exchange purification of mutagenized bovine beta-casein expressed in transgenic mouse milk: its putative Asn68-linked glycan is heterogeneous. *J Dairy Sci* **84**, 44-9. (2001). Choi, B. K., Bleck, G. T. and Jimenez-Flores, R.
- 409.** A *Bacillus amyloliquefaciens* ChbB protein binds beta- and alpha-chitin and has homologues in related strains. *Microbiology* **147**, 1793-803. (2001). Chu, H. H., Hoang, V., Hofemeister, J. and Schrempf, H.
- 410.** Insights into Wnt binding and signalling from the structures of two Frizzled cysteine-rich domains. *Nature* **412**, 86-90. (2001). Dann, C. E., Hsieh, J. C., Rattner, A., Sharma, D., Nathans, J. and Leahy, D. J.
- 411.** The 3' untranslated region of tumor necrosis factor alpha mRNA is a target of the mRNA-stabilizing factor HuR. *Mol Cell Biol* **21**, 721-30. (2001). Dean, J. L., Wait, R., Mahtani, K. R., Sully, G., Clark, A. R. and Saklatvala, J.

- 412.** Interaction of Tau Isoforms with Alzheimer's Disease Abnormally Hyperphosphorylated Tau and in Vitro Phosphorylation into the Disease-like Protein. *J. Biol. Chem.* **276**, 37967-37973 (2001). del C. Alonso, A., Zaidi, T., Novak, M., Barra, H. S., Grundke-Iqbal, I. and Iqbal, K.
- 413.** Elucidation of solvent exposure, side-chain reactivity, and steric demands of the trifluoromethionine residue in a recombinant protein. *Biochemistry* **40**, 13167-76. (2001). Duewel, H. S., Daub, E., Robinson, V. and Honek, J. F.
- 414.** Cleavage of Factor VIII Heavy Chain Is Required for the Functional Interaction of A2 Subunit with Factor IXa. *J. Biol. Chem.* **276**, 12434-16438 (2001). Fay, P. J., Mastri, M., Koszelak, M. E. and Wakabayashi, H.
- 415.** The MeCP1 complex represses transcription through preferential binding, remodeling, and deacetylating methylated nucleosomes. *Genes Dev* **15**, 827-32. (2001). Feng, Q. and Zhang, Y.
- 416.** Rebinding of extracellular adherence protein Eap to *Staphylococcus aureus* can occur through a surface-bound neutral phosphatase. *J. Bacteriol* **183**, 3999-4003. (2001). Flock, M. and Flock, J. I.
- 417.** SRbeta coordinates signal sequence release from SRP with ribosome binding to the translocon. *Embo J* **20**, 2338-47. (2001). Fulga, T. A., Sinning, I., Dobberstein, B. and Pool, M. R.
- 418.** Mutational analysis of the interaction between active site residues and the loop region in mammalian purple acid phosphatases. *Biochemistry* **40**, 11614-22. (2001). Funhoff, E. G., Ljusberg, J., Wang, Y., Andersson, G. and Averill, B. A.
- 419.** Small angle neutron scattering and gel filtration analyses of neutrophil NADPH oxidase cytosolic factors highlight the role of the C-terminal end of p47phox in the association with p40phox. *Biochemistry* **40**, 3127-33. (2001). Grizot, S., Grandvaux, N., Fieschi, F., Faure, J., Massenet, C., Andrieu, J. P., Fuchs, A., Vignais, P. V., Timmins, P. A., Dagher, M. C. and Pebay-Peyroula, E.
- 420.** Translesion synthesis by yeast DNA polymerase zeta from templates containing lesions of ultraviolet radiation and acetylaminofluorene. *Nucleic Acids Res* **29**, 2875-83. (2001). Guo, D., Wu, X., Rajpal, D. K., Taylor, J. S. and Wang, Z.
- 421.** The *Bacillus subtilis* Competence Transcription Factor, ComK, Overrides LexA-imposed Transcriptional Inhibition without Physically Displacing LexA. *J. Biol. Chem.* **276**, 42901-47555 (2001). Hamoen, L. W., Haijema, B., Bijlsma, J. J., Venema, G. and Lovett, C. M.
- 422.** The Role of Leucine 191 of *Escherichia coli* Uracil DNA Glycosylase in the Formation of a Highly Stable Complex with the Substrate Mimic, Ugi, and in Uracil Excision from the Synthetic Substrates. *J. Biol. Chem.* **276**, 17324-17907 (2001). Handa, P., Roy, S. and Varshney, U.
- 423.** p70S6 kinase signals cell survival as well as growth, inactivating the pro-apoptotic molecule BAD. *Proc Natl Acad Sci U S A* **98**, 9666-70. (2001). Harada, H., Andersen, J. S., Mann, M., Terada, N. and Korsmeyer, S. J.
- 424.** Tissue factor pathway inhibitor-2 is a novel inhibitor of matrix metalloproteinases with implications for atherosclerosis. *J Clin Invest* **107**, 1117-26. (2001). Herman, M. P., Sukhova, G. K., Kisiel, W., Foster, D., Kehry, M. R., Libby, P. and Schonbeck, U.
- 425.** Cytomegalovirus in autoimmunity: T cell crossreactivity to viral antigen and autoantigen glutamic acid decarboxylase. *Proc Natl Acad Sci U S A* **98**, 3988-91. (2001). Hiemstra, H. S., Schloot, N. C., van Veelen, P. A., Willemsen, S. J., Franken, K. L., van Rood, J. J., de Vries, R. R., Chaudhuri, A., Behan, P. O., Drijfhout, J. W. and Roep, B. O.
- 426.** CR16 forms a complex with N-WASP in brain and is a novel member of a conserved proline-rich actin-binding protein family. *Proc Natl Acad Sci U S A* **98**, 11306-11. (2001). Ho, H. Y., Rohatgi, R., Ma, L. and Kirschner, M. W.
- 427.** In vivo synthesis of the periplasmic domain of TonB inhibits transport through the FecA and FhuA iron siderophore transporters of *Escherichia coli*. *J Bacteriol* **183**, 5885-95. (2001). Howard, S. P., Herrmann, C., Stratilo, C. W. and Braun, V.
- 428.** Raver1, a dual compartment protein, is a ligand for PTB/hnRNPI and microfilament attachment proteins. *J Cell Biol* **155**, 775-86. (2001). Huttelmaier, S., Illenberger, S., Grosheva, I., Rudiger, M., Singer, R. H. and Jockusch, B. M.
- 429.** Identification of amino acids in the tetratricopeptide repeat and C-terminal domains of protein phosphatase 5 involved in autoinhibition and lipid activation. *Biochemistry* **40**, 10485-90. (2001). Kang, H., Sayner, S. L., Gross, K. L., Russell, L. C. and Chinkers, M.
- 430.** Electron Transfer Kinetics between Hemoglobin Subunits. *J. Biol. Chem.* **276**, 47937-18065 (2001). Kiger, L. and Marden, M. C.
- 431.** Revisiting the Lysogenization Control of Bacteriophage lambda . IDENTIFICATION AND CHARACTERIZATION OF A NEW HOST COMPONENT, HflD. *J. Biol. Chem.* **276**, 13695-18065 (2001). Kihara, A., Akiyama, Y. and Ito, K.

- 432.** Structural basis for the inactivation of retinoblastoma tumor suppressor by SV40 large T antigen. *Embo J* **20**, 295-304. (2001). Kim, H. Y., Ahn, B. Y. and Cho, Y.
- 433.** The A20R Protein Is a Stoichiometric Component of the Processive Form of Vaccinia Virus DNA Polymerase. *J. Virol.* **75**, 12298-12307 (2001). Klemperer, N., McDonald, W., Boyle, K., Unger, B. and Traktman, P.
- 434.** A monomeric mannose-binding lectin from inner shoots of the edible chive (*Allium tuberosum*). *J Protein Chem* **20**, 361-6. (2001). Lam, Y. W. and Ng, T. B.
- 435.** Recombinant Small Subunit of Smooth Muscle Myosin Light Chain Phosphatase. MOLECULAR PROPERTIES AND INTERACTIONS WITH THE TARGETING SUBUNIT. *J. Biol. Chem.* **276**, 34318-37973 (2001). Langsetmo, K., Stafford, W. F., III, Mabuchi, K. and Tao, T.
- 436.** Identification and Characterization of a Conformational Heparin-binding Site Involving Two Fibronectin Type III Modules of Bovine Tenascin-X. *J. Biol. Chem.* **276**, 16432-16438 (2001). Lethias, C., Elefteriou, F., Parsiegla, G., Exposito, J.-Y. and Garrone, R.
- 437.** Molecular cloning and functional analysis of the MutY homolog of *Deinococcus radiodurans*. *J Bacteriol* **183**, 6151-8. (2001). Li, X. and Lu, A. L.
- 438.** The mitochondrial Hsp70-dependent import system actively unfolds preproteins and shortens the lag phase of translocation. *Embo J* **20**, 941-50. (2001). Lim, J. H., Martin, F., Guiard, B., Pfanner, N. and Voos, W.
- 439.** The Human CLN2 Protein/Tripeptidyl-Peptidase I Is a Serine Protease That Autoactivates at Acidic pH. *J. Biol. Chem.* **276**, 2249-6590 (2001). Lin, L., Sohar, I., Lackland, H. and Lobel, P.
- 440.** Crystal Structure of the C-type Lectin-like Domain from the Human Hematopoietic Cell Receptor CD69. *J. Biol. Chem.* **276**, 7312-9315 (2001). Llera, A. S., Viedma, E., Sanchez-Madrid, F. and Tormo, J.
- 441.** Dimers of beta 2-Glycoprotein I Mimic the in Vitro Effects of beta 2-Glycoprotein I-Anti-beta 2-glycoprotein I Antibody Complexes. *J. Biol. Chem.* **276**, 3060-18065 (2001). Lutters, B. C. H., Meijers, J. C. M., Derksen, R. H. W. M., Arnout, J. and de Groot, P. G.
- 442.** Specificities for the Small G Proteins ARF1 and ARF6 of the Guanine Nucleotide Exchange Factors ARNO and EFA6. *J. Biol. Chem.* **276**, 24925-12234 (2001). Macia, E., Chabre, M. and Franco, M.
- 443.** Purification and structural analysis of the hepatitis B virus preS1 expressed from *Escherichia coli*. *Biochem Biophys Res Commun* **282**, 787-92. (2001). Maeng, C. Y., Oh, M. S., Park, I. H. and Hong, H. J.
- 444.** Transcription Factor STAT5A Is a Substrate of Bruton's Tyrosine Kinase in B Cells. *J. Biol. Chem.* **276**, 31216-37033 (2001). Mahajan, S., Vassilev, A., Sun, N., Ozer, Z., Mao, C. and Uckun, F. M.
- 445.** The acetylation state of human fetal hemoglobin modulates the strength of its subunit interactions: long-range effects and implications for histone interactions in the nucleosome. *Biochemistry* **40**, 1635-9. (2001). Manning, L. R. and Manning, J. M.
- 446.** Purification and Characterization of Two Different {alpha}-L-Rhamnosidases, RhaA and RhaB, from *Aspergillus aculeatus*. *Appl. Environ. Microbiol.* **67**, 2230-2234 (2001). Manzanares, P., van den Broeck, H. C., de Graaff, L. H. and Visser, J.
- 447.** Secondary structure and post-translational modifications of the leucine-rich repeat protein PGIP (polygalacturonase-inhibiting protein) from *Phaseolus vulgaris*. *Biochemistry* **40**, 569-76. (2001). Mattei, B., Bernalda, M. S., Federici, L., Roepstorff, P., Cervone, F. and Boffi, A.
- 448.** hRRN3 is essential in the SL1-mediated recruitment of RNA Polymerase I to rRNA gene promoters. *Embo J* **20**, 1373-82. (2001). Miller, G., Panov, K. I., Friedrich, J. K., Trinkle-Mulcahy, L., Lamond, A. I. and Zomerdijk, J. C.
- 449.** Inhibitory Effect of Bovine Milk Lactoferrin on the Interaction between a Streptococcal Surface Protein Antigen and Human Salivary Agglutinin. *J. Biol. Chem.* **276**, 18060-18065 (2001). Mitoma, M., Oho, T., Shimazaki, Y. and Koga, T.
- 450.** A Novel Member of the Bacterial-Archaeal Regulator Family Is a Nonspecific DNA-binding Protein and Induces Positive Supercoiling. *J. Biol. Chem.* **276**, 10745-18065 (2001). Napoli, A., Kvaratskalia, M., White, M. F., Rossi, M. and Ciaramella, M.
- 451.** HMG-D and Histone H1 Interplay during Chromatin Assembly and Early Embryogenesis. *J. Biol. Chem.* **276**, 37569-12234 (2001). Ner, S. S., Blank, T., Perez-Paralle, M. L., Grigliatti, T. A., Becker, P. B. and Travers, A. A.
- 452.** Human lactoferrin and peptides derived from its N terminus are highly effective against infections with antibiotic-resistant bacteria. *Infect Immun* **69**, 1469-76. (2001). Nibbering, P. H., Ravensbergen, E., Welling, M. M., van Berkel, L. A., van Berkel, P. H., Pauwels, E. K. and Nuijens, J. H.

- 453.** Melittin Enables Efficient Vesicular Escape and Enhanced Nuclear Access of Nonviral Gene Delivery Vectors. *J. Biol. Chem.* **276**, 47550-47555 (2001). Ogris, M., Carlisle, R. C., Bettinger, T. and Seymour, L. W.
- 454.** Extracellular Fibrinogen-binding Protein, Efb, from *Staphylococcus aureus* Blocks Platelet Aggregation Due to Its Binding to the alpha -Chain. *J. Biol. Chem.* **276**, 31691-37973 (2001). Palma, M., Shannon, O., Quezada, H. C., Berg, A. and Flock, J.-I.
- 455.** Drosophila Mediator complex is broadly utilized by diverse gene-specific transcription factors at different types of core promoters. *Mol Cell Biol* **21**, 2312-23. (2001). Park, J. M., Gim, B. S., Kim, J. M., Yoon, J. H., Kim, H. S., Kang, J. G. and Kim, Y. J.
- 456.** Nuclear Factor 90 Is a Substrate and Regulator of the Eukaryotic Initiation Factor 2 Kinase Double-stranded RNA-activated Protein Kinase. *J. Biol. Chem.* **276**, 32522-37973 (2001). Parker, L. M., Fierro-Monti, I. and Mathews, M. B.
- 457.** Two Forms of Mitochondrial DNA Ligase III Are Produced in *Xenopus laevis* Oocytes. *J. Biol. Chem.* **276**, 48978-18065 (2001). Perez-Jannotti, R. M., Klein, S. M. and Bogenhagen, D. F.
- 458.** The hairpin structure of the (6)F1(1)F2(2)F2 fragment from human fibronectin enhances gelatin binding. *Embo J* **20**, 1519-29. (2001). Pickford, A. R., Smith, S. P., Staunton, D., Boyd, J. and Campbell, I. D.
- 459.** The BBXB Motif of RANTES Is the Principal Site for Heparin Binding and Controls Receptor Selectivity. *J. Biol. Chem.* **276**, 10620-12234 (2001). Proudfoot, A. E. I., Fritchley, S., Borlat, F., Shaw, J. P., Vilbois, F., Zwahlen, C., Trkola, A., Marchant, D., Clapham, P. R. and Wells, T. N. C.
- 460.** The RNase P associated with HeLa cell mitochondria contains an essential RNA component identical in sequence to that of the nuclear RNase P. *Mol Cell Biol* **21**, 548-61. (2001). Puranam, R. S. and Attardi, G.
- 461.** The polo-like kinase Plx1 is required for activation of the phosphatase Cdc25C and cyclin B-Cdc2 in *Xenopus* oocytes. *Mol Biol Cell* **12**, 1791-9. (2001). Qian, Y. W., Erikson, E., Taieb, F. E. and Maller, J. L.
- 462.** Mechanism-Based Inactivation of Caspases by the Apoptotic Suppressor p35. *Biochemistry* **40**, 13274-80. (2001). Riedl, S. J., Renucci, M., Snipas, S. J. and Salvesen, G. S.
- 463.** Human endothelial cell activation and mediator release in response to *Listeria monocytogenes* virulence factors. *Infect Immun* **69**, 897-905. (2001). Rose, F., Zeller, S. A., Chakraborty, T., Domann, E., Machleidt, T., Kronke, M., Seeger, W., Grimminger, F. and Sibelius, U.
- 464.** Cell Surface Heparan Sulfate Proteoglycans Participate in Factor VIII Catabolism Mediated by Low Density Lipoprotein Receptor-related Protein. *J. Biol. Chem.* **276**, 11970-16438 (2001). Sarafanov, A. G., Ananyeva, N. M., Shima, M. and Saenko, E. L.
- 465.** Methylation of histone H3 by coactivator-associated arginine methyltransferase 1. *Biochemistry* **40**, 5747-56. (2001). Schurter, B. T., Koh, S. S., Chen, D., Bunick, G. J., Harp, J. M., Hanson, B. L., Henschen-Edman, A., Mackay, D. R., Stallcup, M. R. and Aswad, D. W.
- 466.** Phosphorothioate oligonucleotides inhibit the intrinsic tenase complex by an allosteric mechanism. *Biochemistry* **40**, 4980-9. (2001). Sheehan, J. P. and Phan, T. M.
- 467.** Supernatant protein factor, which stimulates the conversion of squalene to lanosterol, is a cytosolic squalene transfer protein and enhances cholesterol biosynthesis. *Proc Natl Acad Sci U S A* **98**, 2244-9. (2001). Shibata, N., Arita, M., Misaki, Y., Dohmae, N., Takio, K., Ono, T., Inoue, K. and Arai, H.
- 468.** A Temperature-sensitive Mutation of Crygs in the Murine Opj Cataract. *J. Biol. Chem.* **276**, 9308-9315 (2001). Sinha, D., Wyatt, M. K., Sarra, R., Jaworski, C., Slingsby, C., Thaug, C., Pannell, L., Robison, W. G., Favor, J., Lyon, M. and Wistow, G.
- 469.** RGS9-Gbeta 5 Substrate Selectivity in Photoreceptors. OPPOSING EFFECTS OF CONSTITUENT DOMAINS YIELD HIGH AFFINITY OF RGS INTERACTION WITH THE G PROTEIN-EFFECTOR COMPLEX. *J. Biol. Chem.* **276**, 37365-37973 (2001). Skiba, N. P., Martemyanov, K. A., Elfenbein, A., Hopp, J. A., Bohm, A., Simonds, W. F. and Arshavsky, V. Y.
- 470.** Human cathelicidin, hCAP-18, is processed to the antimicrobial peptide LL-37 by extracellular cleavage with proteinase 3. *Blood* **97**, 3951-9. (2001). Sorensen, O. E., Follin, P., Johnsen, A. H., Calafat, J., Tjabringa, G. S., Hiemstra, P. S. and Borregaard, N.
- 471.** Soluble phosphatidylserine binds to a single identified site in the C2 domain of human factor Va. *Biochemistry* **40**, 8246-55. (2001). Srivastava, A., Quinn-Allen, M. A., Kim, S. W., Kane, W. H. and Lentz, B. R.
- 472.** Identification of a blood-derived chemoattractant for neutrophils and lymphocytes as a novel CC chemokine, Regakine-1. *Blood* **97**, 2197-204. (2001). Struyf, S., Proost, P., Lenaerts, J. P., Stoops, G., Wuyts, A. and Van Damme, J.
- 473.** A human nuclease specific for G4 DNA. *Proc Natl Acad Sci U S A* **98**, 12444-9. (2001). Sun, H., Yabuki, A. and Maizels, N.

- 474.** Molecular cloning of a cDNA encoding mouse DNA helicase B, which has homology to Escherichia coli RecD protein, and identification of a mutation in the DNA helicase B from tsFT848 temperature-sensitive DNA replication mutant cells. *Nucleic Acids Res* **29**, 3835-40. (2001). Tada, S., Kobayashi, T., Omori, A., Kusa, Y., Okumura, N., Kodaira, H., Ishimi, Y., Seki, M. and Enomoto, T.
- 475.** Identification of Genes Encoding Adenylate Isopentenyltransferase, a Cytokinin Biosynthesis Enzyme, in Arabidopsis thaliana. *J. Biol. Chem.* **276**, 26405-37033 (2001). Takei, K., Sakakibara, H. and Sugiyama, T.
- 476.** p53CP is p51/p63, the third member of the p53 gene family: partial purification and characterization. *Carcinogenesis* **22**, 295-300. (2001). Tan, M., Bian, J., Guan, K. and Sun, Y.
- 477.** Hepatitis C Virus Envelope Protein E2 Does Not Inhibit PKR by Simple Competition with Autophosphorylation Sites in the RNA-Binding Domain. *J. Virol.* **75**, 1265-12307 (2001). Taylor, D. R., Tian, B., Romano, P. R., Hinnebusch, A. G., Lai, M. M. C. and Mathews, M. B.
- 478.** Regulatory Roles of p21 and Apurinic/Apyrimidinic Endonuclease 1 in Base Excision Repair. *J. Biol. Chem.* **276**, 48781-12234 (2001). Tom, S., Ranalli, T. A., Podust, V. N. and Bambara, R. A.
- 479.** DNA Structure-specific Nuclease Activities in the Saccharomyces cerevisiae Rad50[middle dot]Mre11 Complex. *J. Biol. Chem.* **276**, 35458-12234 (2001). Trujillo, K. M. and Sung, P.
- 480.** Probing the importance of the amino-terminal sequence of the beta- and gamma-chains to the properties of normal adult and fetal hemoglobins. *Biochemistry* **40**, 12169-77. (2001). Tsai, C. H., Larson, S. C., Shen, T. J., Ho, N. T., Fisher, G. W., Tam, M. F. and Ho, C.
- 481.** Hydrolysis of glycine-containing elastin pentapeptides by LasA, a metalloelastase from Pseudomonas aeruginosa. *Eur J Biochem* **268**, 1049-57. (2001). Vessillier, S., Delolme, F., Bernillon, J., Saulnier, J. and Wallach, J.
- 482.** Mutations of Tau Protein in Frontotemporal Dementia Promote Aggregation of Paired Helical Filaments by Enhancing Local beta -Structure. *J. Biol. Chem.* **276**, 48165-18065 (2001). von Bergen, M., Barghorn, S., Li, L., Marx, A., Biernat, J., Mandelkow, E.-M. and Mandelkow, E.
- 483.** Identification and properties of the crenarchaeal single-stranded DNA binding protein from Sulfolobus solfataricus. *Nucleic Acids Res* **29**, 914-20. (2001). Wadsworth, R. I. and White, M. F.
- 484.** The human nuclear xenobiotic receptor PXR: structural determinants of directed promiscuity. *Science* **292**, 2329-33. (2001). Watkins, R. E., Wisely, G. B., Moore, L. B., Collins, J. L., Lambert, M. H., Williams, S. P., Willson, T. M., Kliewer, S. A. and Redinbo, M. R.
- 485.** HMG-1 enhances HMG-I/Y binding to an A/T-rich enhancer element from the pea plastocyanin gene. *Eur J Biochem* **268**, 3154-62. (2001). Webster, C. I., Packman, L. C. and Gray, J. C.
- 486.** Analysis of protein phosphorylation by capillary liquid chromatography coupled to element mass spectrometry with 31P detection and to electrospray mass spectrometry. *Anal Chem* **73**, 29-35. (2001). Wind, M., Edler, M., Jakubowski, N., Linscheid, M., Wesch, H. and Lehmann, W. D.
- 487.** Identification of rad27 mutations that confer differential defects in mutation avoidance, repeat tract instability, and flap cleavage. *Mol Cell Biol* **21**, 4889-99. (2001). Xie, Y., Liu, Y., Argueso, J. L., Henricksen, L. A., Kao, H. I., Bambara, R. A. and Alani, E.
- 488.** Hypusine Is Required for a Sequence-specific Interaction of Eukaryotic Initiation Factor 5A with Postsystematic Evolution of Ligands by Exponential Enrichment RNA. *J. Biol. Chem.* **276**, 2555-9315 (2001). Xu, A. and Chen, K. Y.
- 489.** Crystal structure of the M-fragment of alpha-catenin: implications for modulation of cell adhesion. *Embo J* **20**, 3645-56. (2001). Yang, J., Dokurno, P., Tonks, N. K. and Barford, D.
- 490.** Enhanced activity of adenine-DNA glycosylase (Myh) by apurinic/aprimidinic endonuclease (Ape1) in mammalian base excision repair of an A/GO mismatch. *Nucleic Acids Res* **29**, 743-52. (2001). Yang, H., Clendenin, W. M., Wong, D., Demple, B., Slupska, M. M., Chiang, J. H. and Miller, J. H.
- 491.** The Role of Histidine 632 in Catalysis by Human Topoisomerase I. *J. Biol. Chem.* **276**, 677-9315 (2001). Yang, Z. and Champoux, J. J.
- 492.** Plasmid-encoded metallo-beta-lactamase (IMP-6) conferring resistance to carbapenems, especially meropenem. *Antimicrob Agents Chemother* **45**, 1343-8. (2001). Yano, H., Kuga, A., Okamoto, R., Kitasato, H., Kobayashi, T. and Inoue, M.
- 493.** A comparative analysis of the immunological evolution of antibody 28B4. *Biochemistry* **40**, 10764-73. (2001). Yin, J., Mundorff, E. C., Yang, P. L., Wendt, K. U., Hanway, D., Stevens, R. C. and Schultz, P. G.

- 494.** Highly frequent frameshift DNA synthesis by human DNA polymerase mu. *Mol Cell Biol* **21**, 7995-8006. (2001). Zhang, Y., Wu, X., Yuan, F., Xie, Z. and Wang, Z.
- 495.** Binding of Double-stranded RNA to Protein Kinase PKR Is Required for Dimerization and Promotes Critical Autophosphorylation Events in the Activation Loop. *J. Biol. Chem.* **276**, 24946-37973 (2001). Zhang, F., Romano, P. R., Nagamura-Inoue, T., Tian, B., Dever, T. E., Mathews, M. B., Ozato, K. and Hinnebusch, A. G.
- 496.** Trialysin, a novel pore-forming protein from saliva of hematophagous insects activated by limited proteolysis. *J Biol Chem* **277**, 6207-13. (2002). Amino, R., Martins, R. M., Procopio, J., Hirata, I. Y., Juliano, M. A. and Schenkman, S.
- 497.** ETS-1 Transcription Factor Binds Cooperatively to the Palindromic Head to Head ETS-binding Sites of the Stromelysin-1 Promoter by Counteracting Autoinhibition. *J Biol Chem* **277**, 29386-98. (2002). Baillat, D., Begue, A., Stehelin, D. and Aumercier, M.
- 498.** Purification and characterization of yeast Sco1p, a mitochondrial copper protein. *J Biol Chem* **277**, 22185-90. (2002). Beers, J., Glerum, D. M. and Tzagoloff, A.
- 499.** The transforming growth factor-beta-inducible matrix protein (beta)ig-h3 interacts with fibronectin. *J Biol Chem* **277**, 28003-9. (2002). Billings, P. C., Whitbeck, J. C., Adams, C. S., Abrams, W. R., Cohen, A. J., Engelsberg, B. N., Howard, P. S. and Rosenbloom, J.
- 500.** Substrate and inhibitor profile of BACE (beta-secretase) and comparison with other mammalian aspartic proteases. *J Biol Chem* **277**, 4687-93. (2002). Gruninger-Leitch, F., Schlatter, D., Kung, E., Nelbock, P. and Dobeil, H.
- 501.** Novel Mediator proteins of the small Mediator complex in Drosophila SL2 cells. *J Biol Chem* **277**, 27154-61. (2002). Gu, J. Y., Park, J. M., Song, E. J., Mizuguchi, G., Yoon, J. H., Kim-Ha, J., Lee, K. J. and Kim, Y. J.
- 502.** Pore-forming polypeptides of the pathogenic protozoan *Naegleria fowleri*. *J Biol Chem* **277**, 22353-60. (2002). Herbst, R., Ott, C., Jacobs, T., Marti, T., Marciano-Cabral, F. and Leippe, M.
- 503.** An iron-sulfur cluster in the family 4 uracil-DNA glycosylases. *J Biol Chem* **277**, 16936-40. (2002). Hinks, J. A., Evans, M. C., De Miguel, Y., Sartori, A. A., Jiricny, J. and Pearl, L. H.
- 504.** Reconstitution of the mammalian DNA double-strand break end-joining reaction reveals a requirement for an Mre11/Rad50/NBS1-containing fraction. *Nucleic Acids Res* **30**, 667-74. (2002). Huang, J. and Dynan, W. S.
- 505.** Endonuclease G, a candidate human enzyme for the initiation of genomic inversion in herpes simplex type 1 virus. *J Biol Chem* **277**, 21071-9. (2002). Huang, K. J., Zemelman, B. V. and Lehman, I. R.
- 506.** Crystal structure of the extracellular domain of mouse RANK ligand at 2.2-A resolution. *J Biol Chem* **277**, 6631-6. (2002). Ito, S., Wakabayashi, K., Ubukata, O., Hayashi, S., Okada, F. and Hata, T.
- 507.** Cleavage specificity of *Saccharomyces cerevisiae* flap endonuclease 1 suggests a double-flap structure as the cellular substrate. *J Biol Chem* **277**, 14379-89. (2002). Kao, H. I., Henricksen, L. A., Liu, Y. and Bambara, R. A.
- 508.** Sickle hemoglobin polymer stability probed by triple and quadruple mutant hybrids. *J Biol Chem* **277**, 13479-87. (2002). Li, X., Briehl, R. W., Bookchin, R. M., Josephs, R., Wei, B., Manning, J. M. and Ferrone, F. A.
- 509.** Metastable macromolecular complexes containing high mobility group nucleosome-binding chromosomal proteins in HeLa nuclei. *J Biol Chem* **277**, 20774-82. (2002). Lim, J. H., Bustin, M., Ogryzko, V. V. and Postnikov, Y. V.
- 510.** The tautomerase active site of macrophage migration inhibitory factor is a potential target for discovery of novel anti-inflammatory agents. *J Biol Chem* **277**, 24976-82. (2002). Lubetsky, J. B., Dios, A., Han, J., Aljabari, B., Ruzsicska, B., Mitchell, R., Lolis, E. and Al-Abed, Y.
- 511.** A human DNA helicase homologous to the DNA cross-link sensitivity protein Mus308. *J Biol Chem* **277**, 8716-23. (2002). Marini, F. and Wood, R. D.
- 512.** Interactions between protein kinase CK2 and Pin1. Evidence for phosphorylation-dependent interactions. *J Biol Chem* **277**, 23054-64. (2002). Messenger, M. M., Saulnier, R. B., Gilchrist, A. D., Diamond, P., Gorbisky, G. J. and Litchfield, D. W.
- 513.** The MER3 DNA Helicase Catalyzes the Unwinding of Holliday Junctions. *J Biol Chem* **277**, 28019-24. (2002). Nakagawa, T. and Kolodner, R. D.
- 514.** Positive and negative effects of the major mammalian messenger ribonucleoprotein p50 on binding of 40 S ribosomal subunits to the initiation codon of beta-globin mRNA. *J Biol Chem* **277**, 15445-51. (2002). Pisarev, A. V., Skabkin, M. A., Thomas, A. A., Merrick, W. C., Ovchinnikov, L. P. and Shatsky, I. N.

- 515.** Reconstitution of human DNA polymerase delta using recombinant baculoviruses: the p12 subunit potentiates DNA polymerizing activity of the four-subunit enzyme. *J Biol Chem* **277**, 3894-901. (2002). Podust, V. N., Chang, L. S., Ott, R., Dianov, G. L. and Fanning, E.
- 516.** Biochemical and structural definition of the I-afadin- and actin-binding sites of alpha-catenin. *J Biol Chem* **277**, 18868-74. (2002). Pokutta, S., Drees, F., Takai, Y., Nelson, W. J. and Weis, W. I.
- 517.** The PWWP domain of mammalian DNA methyltransferase Dnmt3b defines a new family of DNA-binding folds. *Nat Struct Biol* **9**, 217-24. (2002). Qiu, C., Sawada, K., Zhang, X. and Cheng, X.
- 518.** DNA polymerase lambda from calf thymus preferentially replicates damaged DNA. *J Biol Chem* **277**, 18454-8. (2002). Ramadan, K., Shevelev, I. V., Maga, G. and Hubscher, U.
- 519.** The S100 family heterodimer, MRP-8/14, binds with high affinity to heparin and heparan sulfate glycosaminoglycans on endothelial cells. *J Biol Chem* **277**, 3658-65. (2002). Robinson, M. J., Tessier, P., Poulson, R. and Hogg, N.
- 520.** Dynacortin is a novel actin bundling protein that localizes to dynamic actin structures. *J Biol Chem* **277**, 9088-95. (2002). Robinson, D. N., Ocon, S. S., Rock, R. S. and Spudich, J. A.
- 521.** An actin nucleation mechanism mediated by Bni1 and Profilin. *Nat Cell Biol* **4**, 626-31. (2002). Sagot, I., Rodal, A. A., Moseley, J., Goode, B. L. and Pellman, D.
- 522.** Identification of biologically active chemokine isoforms from ascitic fluid and elevated levels of CCL18/ pulmonary and activation-regulated chemokine in ovarian carcinoma. *J Biol Chem* **277**, 24584-93. (2002). Schutyser, E., Struyf, S., Proost, P., Opdenakker, G., Laureys, G., Verhasselt, B., Peperstraete, L., Van de Putte, I., Saccani, A., Allavena, P., Mantovani, A. and Van Damme, J.
- 523.** Elucidation of the molecular mechanism during the early events in immunoglobulin light chain amyloid fibrillation. Evidence for an off-pathway oligomer at acidic pH. *J Biol Chem* **277**, 12666-79. (2002). Souillac, P. O., Uversky, V. N., Millett, I. S., Khurana, R., Doniach, S. and Fink, A. L.
- 524.** Effect of association state and conformational stability on the kinetics of immunoglobulin light chain amyloid fibril formation at physiological pH. *J Biol Chem* **277**, 12657-65. (2002). Souillac, P. O., Uversky, V. N., Millett, I. S., Khurana, R., Doniach, S. and Fink, A. L.
- 525.** Biochemical characterization of the human RAD51 protein. I. ATP hydrolysis. *J Biol Chem* **277**, 14417-25. (2002). Tomblin, G. and Fishel, R.
- 526.** PITSLRE p110 protein kinases associate with transcription complexes and affect their activity. *J Biol Chem* **277**, 2589-96. (2002). Trembley, J. H., Hu, D., Hsu, L. C., Yeung, C. Y., Slaughter, C., Lahti, J. M. and Kidd, V. J.
- 527.** Large scale production of recombinant human lactoferrin in the milk of transgenic cows. *Nat Biotechnol* **20**, 484-7. (2002). Van Berkel, P. H., Welling, M. M., Geerts, M., Van Veen, H. A., Ravensbergen, B., Salaheddine, M., Pauwels, E. K., Pieper, F., Nuijens, J. H. and Nibbering, P. H.
- 528.** In vivo protein cyclization promoted by a circularly permuted *Synechocystis* sp. PCC6803 DnaB mini-intein. *J Biol Chem* **277**, 7790-8. (2002). Williams, N. K., Prosselkov, P., Liepinsh, E., Line, I., Sharipo, A., Littler, D. R., Curmi, P. M., Otting, G. and Dixon, N. E.
- 529.** Structure of human nicotinamide/nicotinic acid mononucleotide adenylyltransferase. Basis for the dual substrate specificity and activation of the oncolytic agent tiazofurin. *J Biol Chem* **277**, 13148-54. (2002). Zhou, T., Kurnasov, O., Tomchick, D. R., Binns, D. D., Grishin, N. V., Marquez, V. E., Osterman, A. L. and Zhang, H.

For further information, visit us at:

www.chromatography.amershambiosciences.com

Our contact your local office:

Asia Pacific

Tel: +852 2811 8693
Fax: +852 2811 5251

Australasia

Tel: +61 2 9899 0999
Fax: +61 2 9899 7511

Austria

Tel: 01 576 0616 21
Fax: 01 576 0616 27

Belgium

Tel: 0800 73 888
Fax: 03 272 1637

Canada

Tel: 1 800 463 5800
Fax: 1 800 567 1008

Central, East and South East Europe

Tel: +43 1 982 3826
Fax: +43 1 985 8327

Denmark

Tel: 45 16 2400
Fax: 45 16 2424

Finland & Baltics

Tel: +358-(0)9-512 39 40
Fax: +358-(0)9-512 17 10

France

Tel: 01 6935 6700
Fax: 01 6941 9677

Germany

Tel: 0761 4903 229
Fax: 0761 4903 405

Italy

Tel: 02 27322 1
Fax: 02 27302 212

Japan

Tel: +81 3 5331 9336
Fax: +81 3 5331 9370

Latin America

Tel: +55 11 3933-7300
Fax: +55 11 3933-7315

Middle East and Africa

Tel: +30 (10) 96 00 687
Fax: +30 (10) 96 00 693

Netherlands

Tel: 0165 580 410
Fax: 0165 580 401

Norway

Tel: 2318 5800
Fax: 2318 6800

Portugal

Tel: 21 417 7035
Fax: 21 417 3184

Russia & other C.I.S. & N.I.S

Tel: +7 (095) 232 0250, 956 1137
Fax: +7 (095) 230 6377

South East Asia

Tel: 60 3 8024 2080
Fax: 60 3 8024 2090

Spain

Tel: 93 594 49 50
Fax: 93 594 49 55

Sweden

Tel: 018 612 1900
Fax: 018 612 1910

Switzerland

Tel: 01 802 81 50
Fax: 01 802 81 51

UK

Tel: 0800 616928
Fax: 0800 616927

USA

Tel: +1 800 526 3593
Fax: +1 877 295 8102